

Medicare-Medicaid Encounter Data System

<u>Addendum to Encounter Data System Companion Guide and State</u> <u>assigned Medicaid Companion Guides</u>

Instructions related to the 837 Health Care Claim: Professional Transaction based on ASC X12 Technical Report Type 3 (TR3), Version 005010X222A1

Version Number: 13.0 Created: August 2015

© Palmetto GBA, LLC

Preface

Preface

The Medicare-Medicaid Encounter Data System (MMEDS) Addendum contains information to assist Medicare Medicaid Plans (MMPs) and other entities in the submission of Medicare-Medicaid Encounter data. Information in this MMEDS addendum reflects current decisions and may be subject to change. Each version of the MMEDS addendum is identified with a version number, which is located in the version control log on the last page of the document. Users should verify that they are using the most current version.

Questions regarding the contents of the MMEDS addendum should be directed to csscoperations@palmettogba.com.

Contents

| 1.0 | Introduction | 4 |
|------|---------------------------------|---|
| 2.0 | Website/Email Resources | 4 |
| 3.0 | Connectivity | 4 |
| 4.0 | Testing Requirements | 4 |
| 5.0 | File Submission | 4 |
| 6.0 | Control Segments/Envelopes | 4 |
| 7.0 | 837 Professional Data Elements | 5 |
| 8.0 | Acknowledgements and/or Reports | 6 |
| 9.0 | Report File Naming Conventions | 6 |
| 10.0 | EDFES Notifications | 6 |
| 11.0 | Medicaid Edits | |
| 12.0 | Business Scenarios | 7 |
| 13.0 | Medicaid Data Elements | 7 |

1.0 Introduction

The purpose of this addendum is to provide MMPs and other entities with unique requirements of the MMEDS to be used in conjunction with the <u>837P Encounter Data System Companion Guide</u> and your State assigned Medicaid Companion Guides.

2.0 Website/Email Resources

Contact CSSC Operations at 1-877-534-2772 or www.csscoperations.com for any MMP support related questions. You may also visit our website at www.csscoperations.com.

3.0 Connectivity

MMPs may use FTP, NDM/Connect:Direct or Gentran/TIBCO/MFT for connectivity to the MMEDS. Please refer to section 3.0 of the 837P Encounter Data System Companion Guide for information regarding file size limitations and structure.

4.0 Testing Requirements

MMPs will be required to submit test files to ensure the submitter's systems are properly configured for data submission. Before exchanging production transactions, each plan must complete testing to become certified. This process allows MMPs to confirm that the CMS operational guidance has been properly programmed in their systems. A test file will need to be submitted containing 25 encounters and must pass 100% of the front end edits. In the event more than 25 encounters are submitted, the file must receive an accepted or partially accepted 999, and 277CA with a minimum of an 80% acceptance rate. Tier-II testing as outlined in the Encounter Data System Companion Guides does not apply to MMPs. (Note: MMPs must first enroll to submit MMP data before any testing occurs.)

5.0 File Submission

The Gentran/TIBCO/MFT file naming convention for files from the submitter to Palmetto should be constructed as follows:

| Medicare | | | |
|------------|--|--|--|
| Test | guid.racf.MEDS.freq.cccc. _{.T} | | |
| Production | guid.racf.MEDS.freq.cccc. _{.P} | | |
| Medicaid | | | |
| Test | guid.racf.MMCD.freq.ccccc. _{.T} | | |
| Production | guid.racf.MMCD.freq.ccccc. _{.P} | | |

6.0 Control Segments/Envelopes

The control segments/envelopes in Section 4 of the 837P Encounter Data System Companion Guide will apply with the following exceptions:

| LEGEND |
|--|
| SHADED rows represent segments in the X12N Implementation Guide |
| NON-SHADED rows represent data elements in the X12N Implementation Guide |

| LOOP ID | REFERENCE | NAME | CODES | NOTES/COMMENTS |
|---------|-----------|----------------------------|-------|---------------------------------------|
| ISA | | Interchange Control Header | | |
| | ISA06 | Interchange Sender ID | | Submitter ID assigned by Palmetto GBA |
| | ISA08 | Interchange Receiver ID | 80889 | Medicare |
| | ISAU8 | Interchange Receiver ID | 80892 | Medicaid |

| LOOP ID | REFERENCE | NAME | CODES | NOTES/COMMENTS |
|---------|----------------------------------|---------------------------|-------|--|
| GS | | Functional Group Header | | |
| | GS02 | Application Sender's Code | | Submitter ID assigned by Palmetto GBA This value must match the value in ISA06 |
| | GS03 Application Receiver's Code | | 80889 | Medicare |
| | | | 80892 | Medicaid |

7.0 837 Professional Data Elements

The data elements in Section 5 of the 837P Encounter Data System Companion Guide will apply with the following exceptions:

| LOOP ID | REFERENCE | NAME | CODES | NOTES/COMMENTS |
|----------------------------|-----------|---|-------|--|
| 1000A | NM1 | Submitter Name | | |
| | NM109 | Submitter Identifier | | Submitter ID assigned by Palmetto GBA |
| 1000B | NM1 | Receiver Name | | |
| | NM103 | Receiver Name | | MMEDSCMS |
| | NM109 | Receiver ID | 80889 | Medicare |
| | MIVITUS | Receiver 1D | 80892 | Medicaid |
| 2000B | SBR | Subscriber Information | | |
| | SBR01 | Payer Responsibility Number Code | S | MMEDSCMS is considered the destination (secondary) payer |
| | SBR09 | Claim Filing Indicator Code | MB | Medicare Part B |
| | 36109 | Claim Filing Indicator Code | MC | Medicaid |
| 2010BA NM1 Subscriber Name | | Subscriber Name | | |
| | NM108 | Subscriber ID Qualifier | MI | Must be populated with a value of MI – Member Identification Number |
| | NM109 | Subscriber Primary Identifier | | This is the subscriber's Health Insurance Claim (HIC) number. Must match the value in Loop 2330A, NM109) |
| 2010BB | NM1 | Payer Name | | |
| | NM103 | Payer Name | | MMEDSCMS |
| | NM109 | Davier Identification | 80889 | Medicare |
| | NIVI109 | Payer Identification | 80892 | Medicaid |
| 2010BB | REF | Billing Provider Secondary Identification | | |
| | REF01 | Medicaid Subscriber ID Identifier | G2 | |
| | REF02 | Medicaid Subscriber ID Number | | Medicaid State Assigned Identification Number |
| 2300 | REF | Payer Claim Control Number | | |

| LOOP ID | REFERENCE | NAME | CODES | NOTES/COMMENTS |
|---------|-----------|----------------------------|-------|--|
| | REF01 | Original Reference Number | F8 | |
| | REF02 | Payer Claim Control Number | | Identifies ICN from original encounter when submitting adjustments |
| 2320 | AMT | Payer Paid Amount | | |
| | AMT01 | Amount Qualifier | D | Must be populated with a value of D – Payer Amount Paid |
| | AMT02 | Payer Paid Amount | | Medicare-Medicaid Plan paid amount |

8.0 Acknowledgements and/or Reports

The acknowledgement and/or reports in Section 6 of the 837P Encounter Data System Companion Guide will apply with the following exceptions:

- Encounters designated as Medicaid will receive a 277CA report.
- Additionally, Encounters designated as Medicaid will not receive the MAO-001 or MAO-002 reports.

9.0 Report File Naming Conventions

Medicare Gentran/TIBCO/MFT references can be found in Sections 6.6.1; Tables 5 and 6, and 6.6.2; Tables 8 and 9 of the 837P DME Encounter Data System Companion Guide.

Medicaid Gentran/TIBCO/MFT references are as follows:

| GENTRAN/TIBCO/MFT Report Name |
|----------------------------------|
| P.xxxxx.MCD_RESPONSE.pn |
| P.xxxxx.MCD_REJT_IC_ISAIEA.pn |
| P.xxxxx.MCD_REJT_FUNCT_TRANS.pn |
| P.xxxxx.MCD_ACCPT_FUNCT_TRANS.pn |
| P.xxxxx.MCD_RESP_CLAIM_NUM.pn |

10.0 EDFES Notifications

This table replaces Table 10 found in Section 6.7 of the 837P Encounter Data System Companion Guide.

| APPLIES TO | ENCOUNTER TYPE | NOTIFICATION MESSAGE | NOTIFICATION MESSAGE DESCRIPTION |
|---------------------|----------------|---|--|
| All files submitted | All | FILE ID (XXXXXXXXX) IS A DUPLICATED OF A FILE ID SENT WITHIN THE LAST 12 MONTHS | The file ID must be unique for a 12 month period |
| All files submitted | All | SUBMITTER NOT AUTHORIZED TO SEND CLAIMS FOR PLAN (CONTRACT ID) | The submitter is not authorized to send for this plan |
| All files submitted | All | PLAN ID CANNOT BE THE SAME AS THE SUBMITTER ID | The Contract ID cannot be the same as the Submitter ID |

| APPLIES TO | ENCOUNTER TYPE | NOTIFICATION MESSAGE | NOTIFICATION MESSAGE DESCRIPTION |
|----------------------------|----------------|---|---|
| All files submitted | All | AT LEAST ONE ENCOUNTER IS MISSING A CONTRACT ID IN THE 2010BB-REF02 SEGMENT | The Contract ID is missing |
| Production files submitted | All | SUBMITTER NO CERTIFIED FOR PRODUCTION | The submitter must be certified to send encounters for production |
| All files submitted | All | TRANSACTION SET (ST/SE) (XXXXXXXXX) CANNOT EXCEED 5,000 CLAIMS | There can only be 5,000 claims in each ST/SE Loop |

11.0 Medicaid Edits

High level file integrity checks are performed on MMP Medicaid encounters. The encounters are interrogated by a commercial off the shelf (COTS) EDI translator. CMS provides a list of edits used to process encounters submitted to the MMEDS found in the CMS 5010 Edits Spreadsheets. For a list of current edits, MMPs should refer to the spreadsheet version identifier in cell A1. The version identifier is comprised of ten characters, broken down as follows:

- Positions 1-2 indicate the line of business
 - o EA Part A
 - o EB Part B
- Positions 3-6 indicate the year (i.e., 2014)
- Position 7 indicates the release quarter month
 - o 1 January release
 - o 2 April release
 - o 3 July release
 - 4 October release
- Positions 8-10 indicate the spreadsheet version iteration number (i.e., V01-first iteration, V03-third iteration)

The CMS 5010 Edits Spreadsheets provide documentation regarding edit rules that explain how to identify an edit and the associated logic. The CMS 5010 Edits Spreadsheets are accessible on the CMS website. In addition, a link can be found on the CSSC Operations website under Edits for Medicare Medicaid Plans. Only 999R, 999E and 277T edits are applicable and are identified in the columns labeled "TA1/999/277CA" and "Accept/Reject".

12.0 Business Scenarios

The Submitter ID, Payer Code, and Receiver Name (EDSCMS) contained in the business scenarios in Section 9 of the 837P Encounter Data System Companion Guide will not apply to MMP Medicare or Medicaid data submissions. (**Note:** MMP submitters should use Receiver Name MMEDSCMS)

13.0 Medicaid Data Elements

Refer to your State assigned companion guide for data element specifications with the exception of the data elements specified in Sections 6.0 and 7.0 of this addendum.

REVISION HISTORY

| VERSION | DATE | DESCRIPTION OF REVISION |
|---------|------------|---|
| 1.0 | 11/15/2013 | Baseline Version |
| 2.0 | 12/12/2013 | Updated table in Section 5.0 – Changed segment from NM103 to NM108 in the 2010BA loop. |
| 2.0 | 12/12/2013 | Removed EDFES notifications from table in Section 7.0. |
| 2.0 | 12/12/2013 | Changed MMEDSCMS acronym to EDSCMS acronym in Section 8.0. |
| 3.0 | 07/02/2014 | Updated Testing Requirements, Section 10.0 to include requirements when a file contains more than 25 files. |
| 4.0 | 09/08/2014 | Added the 2010BB REF segment to the 837 Professional Data Elements table; Section 5.0. |
| 4.0 | 09/08/2014 | Updated Testing Requirements, Section 10.0 to exclude the 837 type (i.e. 837I). |
| 5.0 | 11/05/2014 | Corrected the term "validation" to "277CA" in Section 6.0; page 6. |
| 6.0 | 12/09/2014 | Inserted Medicaid Edits (section 9.0). Moved the two existing sections below this point to 10.0 and 11.0. Updated the Table of Contents to reflect this change. |
| 7.0 | 01/20/2015 | Under EDFES Notifications (section 8.0), removed "Date of service cannot be before 2011. Files cannot be submitted with a date of service before 2011." |
| 8.0 | 02/04/2015 | Updated the hyperlink within section 1.0. |
| 8.0 | 02/04/2015 | Added 2320 AMT information to table in section 6.0. |
| 9.0 | 03/31/2015 | Added 2300 Payer Claim Control Number information to table in section 6.0. |
| 10.0 | 05/05/2015 | Removed table reference in section 8.0 that read "File cannot exceed 5,000 Encounters". |
| 11.0 | 05/06/2015 | Updated the fourth sentence of section 4.0 by removing "for Institutional data" from the sentence. |
| 12.0 | 07/06/2015 | Updated sections 3.0 and 7.1 to show that Gentran/TIBCO is valid for use. |
| 13.0 | 08/19/2015 | Updated sections 3.0 and 7.1 with Gentran naming conventions. |