



Encounter Data System

Standard Companion Guide Transaction Information

Instructions related to the 837 Health Care Claim: Institutional
Transaction based on ASC X12 Technical Report Type 3 (TR3), Version
005010X223A2

Companion Guide Version Number: 14.0
Created: January 2013

Preface

The Encounter Data System (EDS) Companion Guide contains information to assist Medicare Advantage Organizations (MAOs) and other entities in the submission of encounter data. The EDS Companion Guide is under development and the information in this version reflects current decisions and will be modified on a regular basis. All versions of the EDS Companion Guide are identified by a version number, which is located in the version control log on the last page of the document. Users should verify that they are using the most current version.

Questions regarding the contents of the EDS Companion Guide should be directed to eds@ardx.net.

Table of Contents

- 1.0 Introduction
 - 1.1 Scope
 - 1.2 Overview
 - 1.3 Major Updates
 - 1.3.1 EDIPPS Edits Prevention and Resolution Strategies – Phase III
 - 1.3.2 EDFES Notifications
 - 1.3.3 Submission of Proxy Data in a Limited Set of Circumstances
 - 1.4 References

- 2.0 Contact Information
 - 2.1 CSSC
 - 2.2 Applicable Websites/Email Resources

- 3.0 File Submission
 - 3.1 File Size Limitations
 - 3.2 File Structure

- 4.0 Control segments/envelopes
 - 4.1 ISA/IEA
 - 4.2 GS/GE
 - 4.3 ST/SE

- 5.0 Transaction Specific Information
 - 5.1 837-I Transaction Specific Table

- 6.0 Acknowledgements and/or Reports
 - 6.1 TA1
 - 6.2 999
 - 6.3 277CA
 - 6.4 MAO-001 – Encounter Data Duplicates Report
 - 6.5 MAO-002 – Encounter Data Processing Status Report
 - 6.6 Reports File Naming Conventions
 - 6.6.1 Testing
 - 6.6.2 Production
 - 6.7 EDFES Notifications

- 7.0 Front-End Edits
 - 7.1 Permanently Deactivated Front-End Edits
 - 7.2 Temporarily Deactivated Front-End Edits

- 8.0 Duplicate Logic
 - 8.1 Header Level
 - 8.2 Detail Level

Table of Contents

- 9.0 Institutional Business Cases
 - 9.1 Standard Institutional Encounter
 - 9.2 Capitated Institutional Encounter
 - 9.3 Chart Review Institutional Encounter – No Linked ICN
 - 9.4 Chart Review Institutional Encounter – Linked ICN
 - 9.5 Complete Replacement Institutional Encounter
 - 9.6 Complete Deletion Institutional Encounter
 - 9.7 Atypical Provider Institutional Encounter
 - 9.8 Paper Generated Institutional Encounter
 - 9.9 True Coordination of Benefits Institutional Encounter
 - 9.10 Bundled Institutional Encounter

- 10.0 Encounter Data Institutional Processing and Pricing System Edits
 - 10.1 EDIPPS Enhancements Implementation Dates
 - 10.2 EDPS Edits Prevention and Resolution Strategies
 - 10.2.1 EDPS Edits Prevention and Resolution Strategies – Phase I
 - 10.2.2 EDPS Edits Prevention and Resolution Strategies – Phase II
 - 10.2.3 EDIPPS Edits Prevention and Resolution Strategies – Phase III

- 11.0 Submission of Proxy Data in a Limited Set of Circumstances

- 12.0 EDS Acronyms

1.0 Introduction

1.1 Scope

The CMS Encounter Data System (EDS) 837-I Companion Guide addresses how MAOs and other entities conduct Institutional claim Health Information Portability and Accountability Act (HIPAA) standard electronic transactions with CMS. The CMS EDS supports transactions adopted under HIPAA, as well as additional supporting transactions described in this guide.

The CMS EDS 837-I Companion Guide must be used in conjunction with the associated 837-I Implementation Guide (TR3). The instructions in the 837-I CMS EDS Companion Guide are not intended for use as a stand-alone requirements document.

1.2 Overview

The CMS EDS 837-I Companion Guide includes information required to initiate and maintain communication exchange with CMS. The information is organized in the sections listed below:

- Contact Information: This section includes telephone and fax numbers for EDS contacts.
- Control Segments/Envelopes: This section contains information required to create the ISA/IEA, GS/GE, and ST/SE control segments in order for transactions to be supported by the EDS.
- Acknowledgements and Reports: This section contains information on all transaction acknowledgements sent by the EDS, including the TA1, 999, and 277CA.
- Transaction Specific Information: This section describes the details of the HIPAA X12 Implementation Guides (IGs), using a tabular format. The tables contain a row for each segment with CMS specific information, in addition to the information in the IGs. That information may contain:
 - Limits on the repeat of loops or segments
 - Limits on the length of a simple data element
 - Specifics on a sub-set of the IG's internal code listings
 - Clarification of the use of loops, segments, and composite or simple data elements
 - Any other information tied directly to a loop, segment, and composite or simple data element pertinent to trading electronically with CMS.

In addition to the row for each segment, one (1) or more additional rows are used to describe the EDS' usage for composite or simple data elements and for any other information.

1.3 Major Updates

1.3.1 EDPS Edits Prevention and Resolution Strategies – Phase III

MAOs and other entities may reference Section 10.2.3, Table 15 for an ongoing list of the remaining Institutional edits generated on MAO-002 Encounter Data Processing Status Reports.

1.3.2 EDFES Notifications

Due to the allowed submission of 2011 “From” dates of service (DOS), CMS has removed the EDFES Notification for invalid submission of encounters containing 2011 DOS from Section 6.7, Table 10.

1.3.3 Submission of Proxy Data in a Limited Set of Circumstances

Due to the allowed submission of 2011 “From” DOS, CMS has removed the 2011 DOS Proxy Data message from Section 11.0, Table 18.

1.4 References

MAOs and other entities must use the ASC X12N IG adopted under the HIPAA Administrative Simplification Electronic Transaction rule, along with CMS’ Encounter Data Participant Guides and CMS’ EDS Companion Guides, for development of the EDS transactions. These documents are accessible on the CSSC Operations website at www.csscooperations.com.

Additionally, CMS publishes the EDS’ submitter guidelines and application, testing documents, 837 Companion Guides and Encounter Data Participant Guides on the CSSC Operations website.

MAOs and other entities must use the most current national standard code lists applicable to the 5010 transaction. The code lists may be accessible at the Washington Publishing Company (WPC) website at: <http://www.wpc-edi.com>.

The applicable code lists are as follows:

- Claim Adjustment Reason Code (CARC)
- Claim Status Category Codes (CSCC)
- Claim Status Codes (CSC)

CMS provides X12 5010 file format technical edit spreadsheets for the 837-I and 837-P. The edits included in the spreadsheets are provided to clarify the WPC instructions or add Medicare specific requirements. In order to determine the implementation date of the edits contained in the spreadsheet, MAOs and other entities should initially refer to the spreadsheet version identifier. The version identifier is comprised of ten (10) characters, as follows:

- Positions 1-2 indicate the line of business:
 - EA – Part A (837-I)
 - EB – Part B (837-P)
- Positions 3-6 indicate the year (e.g., 2011)
- Position 7 indicates the release quarter month
 - 1 – January release

- 2 – April release
- 3 – July release
- 4 – October release
- Positions 8-10 indicate the spreadsheet version iteration number (e.g., V01-first iteration, V02-second iteration)

The effective date of the spreadsheet is the first calendar day of the release quarter month. The implementation date is the first business Monday of the release quarter month. Federal holidays that potentially occur on the first business Monday are considered when determining the implementation date. For example, the edits contained in a spreadsheet version of EA20131V01 are effective January 1, 2013 and implemented on January 7, 2013.

2.0 Contact Information

2.1 The Customer Service and Support Center (CSSC)

The Customer Service and Support Center (CSSC) personnel are available for questions from 8:00 AM – 7:00PM EST, Monday-Friday, with the exception of federal holidays. MAOs and other entities are able to contact the CSSC by phone at 1-877-534-CSSC (2772) or by email at csscooperations@palmettogba.com.

2.2 Applicable Websites/Email Resources

The following websites provide information to assist in the EDS submission:

RESOURCE	WEB ADDRESS
EDPS Bulletin	http://www.csscooperations.com/
EDS Email	eds@ardx.net
EDS Participant Guides	http://www.csscooperations.com/
EDS User Group Materials	http://www.csscooperations.com/
ANSI ASC X12 TR3 Implementation Guides	http://www.wpc-edi.com/
Washington Publishing Company Health Care Code Sets	http://www.wpc-edi.com/
CMS Edits Spreadsheet	http://www.cms.gov/MFFS5010D0/20_TechnicalDocumentation.asp

3.0 File Submission

3.1 File Size Limitations

Due to system limitations, the combination of all ST/SE transaction sets per file cannot exceed certain thresholds. FTP, Gentran, and NDM users cannot exceed **5,000** encounters per file (ISA/IEA).

Note: Due to system processing overhead associated with smaller numbers of encounters within the ST/SE, it is highly recommended that MAOs and other entities submit larger numbers of encounters within the ST/SE, not to exceed 5,000 encounters.

In an effort to support and provide the most efficient processing system, and to allow for maximum performance, CMS recommends that FTP submitters' scripts upload no more than one (1) file per five (5) minute intervals. Zipped files should contain one (1) file per transmission. MAOs and other entities should refrain from submitting multiple files within the same transmission. NDM and Gentran users may submit a maximum of 255 files per day.

3.2 File Structure – NDM/Connect Direct and Gentran Submitters Only

NDM/Connect Direct and Gentran submitters must format all submitted files in an 80-byte fixed block format. This means MAOs and other entities must upload every line (record) in a file with a length of 80 bytes/characters.

Submitters should create files with segments stacked, using only 80 characters per line. At position 81 of each segment, MAOs and other entities must create a new line. On the new line starting in position 1, continue for 80 characters, and repeat creating a new line in position 81 until the file is complete. If the last line in the file does not fill to 80 characters, the submitter should space the line out to position 80 and then save the file.

Note: If MAOs and other entities are using a text editor to create the file, pressing the Enter key will create a new line. If MAOs and other entities are using an automated system to create the file, create a new line by using a CRLF (Carriage Return Line Feed) or a LF (Line Feed).

For example, the ISA record is 106 characters long:

The first line of the file will contain the first 80 characters of the ISA segment; the last 26 characters of the ISA segment continue on the second line. The next segment will start in the 27th position and continue until column 80.

```
ISA*00*      *00*      *ZZ*      ENH9999*ZZ*      80881*120816*114
4*^*00501*000000031*1*P*::~
```

4.0 Control Segments/Envelopes

4.1 ISA/IEA

The term interchange denotes the transmitted ISA/IEA envelope. Interchange control is achieved through several “control” components, as defined in Table 1. The interchange control number is contained in data element ISA13 of the ISA segment. The identical control number must also occur in data element IEA02 of the IEA segment. MAOs and other entities must populate all elements in the ISA/IEA interchange. There are several elements within the ISA/IEA interchange that must be populated specifically for encounter data purposes. Table 1 below provides EDS Interchange Control (ISA/IEA) specific elements.

Note: Table 1 presents only those elements that provide specific details relevant to encounter data. When developing the encounter data system, users should base their logic on the highest level of specificity. First, consult the WPC/TR3. Second, consult the CMS edits spreadsheets. Third, consult the CMS EDS 837-I Companion Guide. If there are options expressed in the WPC/TR3 or the CEM edits spreadsheet that are broader than the options identified in the CMS EDS 837-I Companion Guide, MAOs and other entities must use the rules identified in the Companion Guide.

Legend
SHADED rows represent segments in the X12N Implementation Guide
NON-SHADED rows represent data elements in the X12N Implementation Guide

TABLE 1 – ISA/IEA INTERCHANGE ELEMENTS

LOOP ID	REFERENCE	NAME	CODES	NOTES/COMMENTS
ISA		Interchange Control Header		
	ISA01	Authorization Information Qualifier	00	No authorization information present
	ISA02	Authorization Information		Use 10 blank spaces
	ISA03	Security Information Qualifier	00	No security information present
	ISA04	Security Information		Use 10 blank spaces
	ISA05	Interchange ID Qualifier	ZZ	CMS expects to see a value of “ZZ” to designate that the code is mutually defined
	ISA07	Interchange ID Qualifier	ZZ	CMS expects to see a value of “ZZ” to designate that the code is mutually defined
	ISA08	Interchange Receiver ID	80881	
	ISA11	Repetition Separator	^	

TABLE 1 – ISA/IEA INTERCHANGE ELEMENTS (CONTINUED)

LOOP ID	REFERENCE	NAME	CODES	NOTES/COMMENTS
	ISA13	Interchange Control Number		Must be fixed length with nine (9) characters and match IEA02 Used to identify file level duplicate collectively with GS06, ST02, and BHT03
	ISA14	Acknowledgement Requested	1	A TA1 will be sent if the file is syntactically incorrect, otherwise only a '999' will be sent
	ISA15	Usage Indicator	T P	Test Production
IEA		Interchange Control Trailer		
	IEA02	Interchange Control Number		Must match the value in ISA13

4.2 GS/GE

The functional group is outlined by the functional group header (GS segment) and the functional group trailer (GE segment). The functional group header starts and identifies one or more related transaction sets and provides a control number and application identification information. The functional group trailer defines the end of the functional group of related transaction sets and provides a count of contained transaction sets.

MAOs and other entities must populate all elements in the GS/GE functional group. There are several elements within the GS/GE that must be populated specifically for encounter data collection. Table 2 provides EDS functional group (GS/GE) specific elements.

Note: Table 2 presents only those elements that require explanation.

TABLE 2 - GS/GE FUNCTIONAL GROUP ELEMENTS

LOOP ID	REFERENCE	NAME	CODES	NOTES/COMMENTS
GS		Functional Group Header		
	GS02	Application Sender's Code		EN followed by Contract ID Number
	GS03	Application Receiver's Code	80881	This value must match the value in ISA08

TABLE 2 - GS/GE FUNCTIONAL GROUP ELEMENTS (CONTINUED)

LOOP ID	REFERENCE	NAME	CODES	NOTES/COMMENTS
	GS06	Group Control Number		This value must match the value in GE02 Used to identify file level duplicates collectively with ISA13, ST02, and BHT03
	GS08	Version/Release/Industry Identifier Code	005010X223A2	
GE		Functional Group Trailer		
	GE02	Group Control Number		This value must match the value in GS06

4.3 ST/SE

The transaction set (ST/SE) contains required, situational loops, unused loops, segments, and data elements. The transaction set is outlined by the transaction set header (ST segment) and the transaction set trailer (SE segment). The transaction set header identifies the start and identifies the transaction set. The transaction set trailer identifies the end of the transaction set and provides a count of the data segments, which includes the ST and SE segments. Several elements must be populated specifically for encounter data purposes. Table 3 provides EDS transaction set (ST/SE) specific elements.

Note: Table 3 presents only those elements that require explanation.

TABLE 3 - ST/SE TRANSACTION SET HEADER AND TRAILER ELEMENTS

LOOP ID	REFERENCE	NAME	CODES	NOTES/COMMENTS
ST		Transaction Set Header		
	ST01	Transaction Set Identifier Code	837	
	ST02	Transaction Set Control Number		This value must match the value in SE02 Used to identify file level duplicates collectively with ISA13, GS06, and BHT03
	ST03	Implementation Convention Reference	005010X223A2	
SE		Transaction Set Trailer		
	SE01	Number of Included Segments		Must contain the actual number of segments within the ST/SE
	SE02	Transaction Set Control Number		This value must be match the value in ST02

5.0 Transaction Specific Information

5.1 837 Institutional: Data Element Table

Within the ST/SE transaction set, there are multiple loops, segments, and data elements that provide billing provider, subscriber, and patient level information. MAOs and other entities should reference www.wpc-edi.com to obtain the most current Implementation Guide. MAOs and other entities must submit EDS transactions using the most current transaction version.

The 837 Institutional Data Element table identifies only those elements within the X12N Implementation Guide that require comment within the context of the EDS' submission. Table 4 identifies the 837 Institutional Implementation Guide by loop name, segment name, segment identifier, data element name, and data element identifier for cross reference. Not all data elements listed in the table below are required, but if they are used, the table reflects the values CMS expects to see.

TABLE 4 - 837 INSTITUTIONAL HEALTH CARE CLAIM

LOOP ID	REFERENCE	NAME	CODES	NOTES/COMMENTS
	BHT	Beginning of Hierarchical Transaction		
	BHT03	Originator Application Transaction Identifier		Must be a unique identifier across all files Used to identify file level duplicates collectively with ISA13, GS06, and ST02.
	BHT06	Claim Identifier	CH	Chargeable
1000A	NM1	Submitter Name		
	NM102	Entity Type Qualifier	2	Non-Person Entity
	NM109	Submitter Identifier		EN followed by Contract ID Number
1000A	PER	Submitter EDI Contact Information		
	PER03	Communication Number Qualifier	TE	It is recommended that MAOs and other entities populate the submitter's telephone number
	PER05	Communication Number Qualifier	EM	It is recommended that MAOs and other entities populate the submitter's email address
	PER07	Communication Number Qualifier	FX	It is recommended that MAOs and other entities populate the submitter's fax number
1000B	NM1	Receiver Name		
	NM102	Entity Type Qualifier	2	Non-Person Entity

TABLE 4 - 837 INSTITUTIONAL HEALTH CARE CLAIM (CONTINUED)

LOOP ID	REFERENCE	NAME	CODES	NOTES/COMMENTS
	NM103	Receiver Name		EDSCMS
	NM109	Receiver ID	80881	Identifies CMS as the receiver of the transaction and corresponds to the value in ISA08 Interchange Receiver ID
2010AA	NM1	Billing Provider Name		
	NM108	Billing Provider ID Qualifier	XX	NPI Identifier
2010AA	NM109	Billing Provider Identifier	1999999976	Must be populated with a ten digit number, must begin with 1 Institutional provider default NPI when the provider has not been assigned an NPI
2010AA	N4	Billing Provider City, State, Zip Code		
	N403	Zip Code		The full nine (9) digits of the ZIP Code are required. If the last four (4) digits of the ZIP code are not available, populate a default value of "9999".
2010AA	REF	Billing Provider Tax Identification Number		
	REF01	Reference Identification Number	EI	Employer's Identification Number (EIN)
	REF02	Billing Provider Tax Identification Number	199999997	Institutional provider default EIN
2000B	SBR	Subscriber Information		
	SBR01	Payer Responsibility Number Code	S	EDSCMS is considered the destination (secondary) payer
	SBR09	Claim Filing Indicator Code	MA	Must be populated with a value of MA – Medicare Part A
2010BA	NM1	Subscriber Name		
	NM108	Subscriber Id Qualifier	MI	Must be populated with a value of MI – Member Identification Number
	NM109	Subscriber Primary Identifier		This is the subscriber's Health Insurance Claim (HIC) number. Must match the value in Loop 2330A, NM109

TABLE 4 - 837 INSTITUTIONAL HEALTH CARE CLAIM (CONTINUED)

LOOP ID	REFERENCE	NAME	CODES	NOTES/COMMENTS
2010BB	NM1	Payer Name		
	NM103	Payer Name		EDSCMS
	NM108	Payer ID Qualifier	PI	Must be populated with the value of PI – Payer Identification
	NM109	Payer Identification	80881	
2010BB	N3	Payer Address		
	N301	Payer Address Line	7500 Security Blvd	
2010BB	N4	Payer City, State, ZIP Code		
	N401	Payer City Name	Baltimore	
2010BB	N402	Payer State	MD	
	N403	Payer ZIP Code	212441850	
2010BB	REF	Other Payer Secondary Identifier		
	REF01	Contract ID Identifier	2U	
	REF02	Contract ID Number		MAO or other entities Contract ID Number
2300	CLM	Claim Information		
	CLM02	Total Claim Charge Amount		Must balance to the sum SV2 service lines in Loop 2400
	CLM05-3	Claim Frequency Type Code	1 2 3 4 7 8 9	1=Original claim submission 2=Interim – First Claim 3=Interim – Continuing Claim 4=Interim – Last Claim 7=Replacement 8=Deletion 9=Final Claim for a Home Health PPS Episode
2300	DTP	Date – Admission Date/Hour		
	DTP02	Date Time Period Format Qualifier	D8 DT	D8=CCYYMMDD DT=CCYYMMDDHHMM

TABLE 4 - 837 INSTITUTIONAL HEALTH CARE CLAIM (CONTINUED)

LOOP ID	REFERENCE	NAME	CODES	NOTES/COMMENTS
2300	DTP03	Admission Date/Hour		Hours (HH) are expressed as "00" for midnight, "01" for 1A.M., and so on through "23" for 11P.M. Minutes (MM) are expressed as "00" through "59". If the actual minutes are not known, use a default of "00". This is only required for original or final bills
2300	PWK	Claim Supplemental Information		
2300	PWK01	Report Type Code	09 OZ PY	Populated for <u>chart review</u> submissions only Populated for encounters generated as a result of <u>paper claims</u> only Populated for encounters generated as a result of <u>4010 submission</u> only
	PWK02	Attachment Transmission Code	AA	Populated for chart review, paper generated, and 4010 generated encounters
2300	CN1	Contract Information		
	CN101	Contract Type Code	05	Populated for capitated/ staff model arrangements
2300	REF	Payer Claim Control Number		
	REF01	Original Reference Number	F8	
	REF02	Payer Claim Control Number		Identifies ICN from original encounter when submitting adjustment or chart review data
2300	REF	Medical Record Number		
	REF01	Medical Record Identification Number	EA	

TABLE 4 - 837 INSTITUTIONAL HEALTH CARE CLAIM (CONTINUED)

LOOP ID	REFERENCE	NAME	CODES	NOTES/COMMENTS
2300	REF02	Medical Record Identification Number	8	Chart review delete diagnosis code only submission – Identifies the diagnosis code populated in Loop 2300, HI must be deleted from the encounter ICN in Loop 2300, REF02.
			Deleted Diagnosis Code(s)	Diagnosis code(s) that must be deleted from the encounter ICN in Loop 2300, REF02 for “chart review – add and delete specific diagnosis codes on a single encounter” submissions only.
2300	NTE	Claim Note		
	NTE01	Note Reference Code	ADD	
	NTE02	Claim Note Text		See Section 11.0 for the use and message requirements of proxy data information
2300	HI	Value Information		
	HI01-2	Value Code	A0	Required on all ambulance encounters
	HI01-5	Value Code Amount		Must include the ambulance pick-up location ZIP Code+4, when available, in the following format: xxxxxxxx.x
2320	SBR	Other Subscriber Information		
	SBR01	Payer Responsibility Sequence Number Code	P T	P=Primary (when MAOs or other entities populate the payer paid amount) T=Tertiary (when MAOs or other entities populate a true COB)
	SBR09	Claim Filing Indicator Code	16	Health Maintenance Organization (HMO) Medicare Risk
2320	CAS	Claim Adjustment		
2330A	NM1	Other Subscriber Name		
	NM108	Identification Code Qualifier	MI	

TABLE 4 - 837 INSTITUTIONAL HEALTH CARE CLAIM (CONTINUED)

LOOP ID	REFERENCE	NAME	CODES	NOTES/COMMENTS
	NM109	Subscriber Primary Identifier		Must match the value in Loop 2010BA, NM109
2330B	NM1	Other Payer Name		
	NM108	Identification Code Qualifier	XV	
	NM109	Other Payer Primary Identifier	Payer 01	MAO or other entity's Contract ID Number. Only populated if there is no Contract ID Number available for a true other payer
2330B	N3	Other Payer Address		
	N301	Other Payer Address Line		MAO or other entity's address
	N4	Other Payer City, State, ZIP Code		
	N401	Other Payer City Name		MAO or other entity's City Name
	N402	Other Payer State		MAO or other entity's State
	N403	Other Payer ZIP Code		MAO or other entity's ZIP Code
2430	SVD	Line Adjudication Information		
	SVD01	Other Payer Primary Identifier		Must match the value in Loop 2330B, NM109
2430	CAS	Line Adjustments		
	CAS02	Adjustment Reason Code		If a service line is denied in the MAO or other entities' adjudication system, the denial reason must be populated

6.0 Acknowledgements and/or Reports

6.1 TA1 – Interchange Acknowledgement

The TA1 report enables the receiver to notify the sender that problems were encountered with the interchange control structure. As the interchange envelope enters the Encounter Data Front-End System (EDFES), the EDI translator performs TA1 validation of the control segments/envelope. You will only receive a TA1 if you have syntax errors in your file. Errors found in this stage will cause the entire X12 interchange to be rejected with no further processing.

MAOs and other entities will receive a TA1 interchange report acknowledging the syntactical incorrectness of an X12 interchange header ISA and trailer IEA and the envelope's structure. Encompassed in the TA1 is the interchange control number, interchange date and time, interchange

acknowledgement code, and interchange note code. The interchange control number, date, and time are identical to those populated on the original 837-I or 837-P ISA line, which allows for MAOs and other entities to associate the TA1 with a specific file previously submitted.

Within the TA1 segment, MAOs and other entities will be able to determine if the interchange rejected by examining the interchange acknowledgement code (TA104) and the interchange note code (TA105). The interchange acknowledgement code stipulates whether the interchange (ISA/IEA) rejected due to syntactical errors. An “R” will be the value in the TA104 data element if the interchange rejected due to errors. The interchange note code is a numeric code that notifies MAOs and other entities of the specific error. If a fatal error occurs, the EDFES generates and returns the TA1 interchange acknowledgement report within 24 hours of the interchange submission. If a TA1 interchange control structure error is identified, MAOs and other entities must correct the error and resubmit the interchange file.

6.2 999 – Functional Group Acknowledgement

After the interchange passes the TA1 edits, the next stage of editing is to apply Implementation Guide (IG) edits and verify the syntactical correctness of the functional group(s) (GS/GE). Functional groups allow for organization of like data within an interchange; therefore, more than one (1) functional group with multiple claims within the functional group can be populated in a file. The 999 acknowledgement report provides information on the validation of the GS/GE functional group(s) and their consistency with the data contained. The 999 report provides MAOs and other entities information on whether the functional groups were accepted or rejected.

If a file has multiple GS/GE segments and errors occurred at any point within one of the syntactical and IG level edit validations, the GS/GE segment will reject, and processing will continue to the next GS/GE segment. For instance, if a file is submitted with three (3) functional groups and the second functional group encounters errors, the first functional group will accept, the second functional group will reject, and processing will continue to the third functional group.

The 999 transaction set is designed to report on adherence to IG level edits and CMS standard syntax errors as depicted in the CMS edit spreadsheet. Three (3) possible acknowledgement values are:

- “A” – Accepted
- “R” – Rejected
- “P” – Partially Accepted, At Least One Transaction Set Was Rejected

When viewing the 999 report, MAOs and other entities should navigate to the IK5 and AK9 segments. If an “A” is displayed in the IK5 and AK9 segments, the claim file is accepted and will continue processing. If an “R” is displayed in the IK5 and AK9 segments, an IK3 and an IK4 segment will be displayed. These segments indicate what loops and segments contain the error that needs correcting so the interchange can be resubmitted. The third element in the IK3 segment identifies the loop that contains the error. The first element in the IK3 and IK4 indicates the segment and element that contain the error. The third element in the IK4 segment indicates the reason code for the error.

6.3 277CA – Claim Acknowledgement

After the file is accepted at the interchange and functional group levels, the third level of editing occurs at the transaction set level within the CEM in order to create the Claim Acknowledgement Transaction (277CA) report. The CEM checks the validity of the values within the data elements. For instance, data element N403 must be a valid nine (9)-digit ZIP code. If a non-existent ZIP code is populated, the CEM will reject the encounter. The 277CA is an unsolicited acknowledgement report from CMS to MAOs and other entities.

The 277CA is used to acknowledge the acceptance or rejection of encounters submitted using a hierarchical level (HL) structure. The first level of hierarchical editing is at the Information Source level. This entity is the decision maker in the business transaction receiving the X12 837 transactions (EDSCMS). The next level is at the Information Receiver level. This is the entity expecting the response from the Information Source. The third hierarchical level is at the Billing Provider of Service level; and the fourth and final level is done at the Patient level. Acceptance or rejection at this level is based on the WPC and the CMS edits spreadsheet. Edits received at any hierarchical level will stop and no further editing will take place. For example, if there is a problem with the Billing Provider of Service submitted on the 837, individual patient edits will not be performed. For those encounters not accepted, the 277CA will detail additional actions required of MAOs and other entities in order to correct and resubmit those encounters.

If an MAO or other entity receives a 277CA indicating that an encounter was rejected, the MAO or other entity must resubmit the encounter until the 277CA indicates no errors were found.

If an encounter is accepted, the 277CA will provide the ICN assigned to that encounter. The ICN segment for the accepted encounter will be located in 2200D REF segment, REF01=IK and REF02=ICN. The ICN is a unique 13-digit number.

If an encounter rejects, the 277CA will provide edit information in the STC segment. The STC03 data element will convey whether the HL structures accepted or rejected. The STC03 is populated with a value of “WQ” if the HL was accepted. If the STC03 data element is populated with a value of “U”, the HL is rejected and the STC01 data element will list the acknowledgement code.

6.4 MAO-001 – Encounter Data Duplicates Report

When the MAO-002 Encounter Data Processing Status Report is returned to an MAO or other entity, and contains error code 98325 - Exact Duplicate of a Service Line within this Claim or a Previously Priced Claim, the EDPS will also generate and return the MAO-001 Encounter Data Duplicates Report. MAOs and other entities will not receive the MAO-001 report if there are no duplicate errors received on submitted encounters.

The MAO-001 report is a fixed length report available in flat file and formatted report layouts. It provides information for encounters and service lines that receive a status of “reject” and the specific error message of 98325 – Exact Duplicate of a Service Line within this Claim or a Previously Priced Claim. MAOs and other entities must correct and resubmit all encounters and/or service lines for error code

98325. The MAO-001 report allows MAOs and other entities the opportunity to more easily reconcile these duplicate encounters and service lines.

6.5 MAO-002 – Encounter Data Processing Status Report

After a file accepts through the EDFES, the file is transmitted to the Encounter Data Processing System (EDPS) where further editing, processing, pricing, and storage occurs. As a result of EDPS editing, the EDPS will return the MAO-002 – Encounter Data Processing Status Report.

The MAO-002 report is a fixed length report available in flat file and formatted report layouts that provide encounter and service line level information. The MAO-002 reflects two (2) statuses at the encounter and service line level: “accepted” and “rejected”. Lines that reflect a status of “accept” yet contain an error message in the Error Description column are considered “informational” edits. MAOs and other entities are not required to take further action on “informational” edits.

The ‘000’ line on the MAO-002 report identifies the header level and indicates either “accepted” or “rejected” status. If the ‘000’ header line is rejected, the encounter is considered rejected and MAOs and other entities must correct and resubmit the encounter. If the ‘000’ header line is “accepted” and at least one (1) other line (i.e., 001 002 003 004) is accepted, then the overall encounter is accepted.

6.6 Reports File Naming Conventions

In order for MAOs and other entities to receive and identify the EDFES acknowledge reports (TA1, 999 and 277CA) and EDPS MAO-002 Encounter Data Processing Status Report, specific reports file naming conventions have been used. The file name ensures that the specific reports are appropriately distributed to each secure, unique mailbox. The EDFES and EDPS have established unique file naming conventions for reports distributed during testing and production.

6.6.1 Testing Reports File Naming Convention

Table 5 below provides the EDFES reports file naming conventions according to connectivity method. MAOs and other entities should note that Connect:Direct (NDM) users’ reports file naming conventions are user defined.

TABLE 5 – TESTING EDFES REPORTS FILE NAMING CONVENTIONS

REPORT TYPE	GENTRAN MAILBOX	FTP MAILBOX
EDFES Notifications	T.xxxxx.EDS_RESPONSE.pn	RSPxxxxx.RSP.REJECTED_ID
TA1	T.xxxxx.EDS_REJT_IC_ISAIEA.pn	X12xxxxx.X12.TMMDDCCYHHM MS
999	T.xxxxx.EDS_REJT_FUNCT_TRANS.pn	999xxxxx.RSP
999	T.xxxxx.EDS_ACCPT_FUNCT_TRANS.pn	999xxxxx.RSP
277CA	T.xxxxx.EDS_RESP_CLAIM_NUM.pn	RSPxxxxx.RSP_277CA

Table 6 below provides the EDPS reports file naming convention by connectivity method. MAOs and other entities should note that Connect:Direct (NDM) users’ reports file naming conventions are user defined.

TABLE 6 – TESTING EDPS REPORTS FILE NAMING CONVENTIONS

CONNECTIVITY METHOD	TESTING NAMING CONVENTION FORMATTED REPORT	TESTING NAMING CONVENTION FLAT FILE LAYOUT
GENTRAN	T.xxxxx.EDPS_001_DataDuplicate_Rpt T.xxxxx.EDPS_002_DataProcessingStatus_Rpt T.xxxxx.EDPS_004_RiskFilter_Rpt T.xxxxx.EDPS_005_DispositionSummary_Rpt T.xxxxx.EDPS_006_EditDisposition_Rpt T.xxxxx.EDPS_007_DispositionDetail_Rpt	T.xxxxx.EDPS_001_DataDuplicate_File T.xxxxx.EDPS_002_DataProcessingStatus_File T.xxxxx.EDPS_004_RiskFilter_File T.xxxxx.EDPS_005_DispositionSummary_File T.xxxxx.EDPS_006_EditDisposition_File T.xxxxx.EDPS_007_DispositionDetail_File
FTP	RPTxxxxx.RPT.EDPS_001_DATDUP_RPT RPTxxxxx.RPT.EDPS_002_DATPRS_RPT RPTxxxxx.RPT.EDPS_004_RSKFLT_RPT RPTxxxxx.RPT.EDPS_005_DSPSUM_RPT RPTxxxxx.RPT.EDPS_006_EDTDSP_RPT RPTxxxxx.RPT.EDPS_007_DSTDTL_RPT	RPTxxxxx.RPT.EDPS_001_DATDUP_File RPTxxxxx.RPT.EDPS_002_DATPRS_File RPTxxxxx.RPT.EDPS_004_RSKFLT_File RPTxxxxx.RPT.EDPS_005_DSPSUM_File RPTxxxxx.RPT.EDPS_006_EDTDSP_File RPTxxxxx.RPT.EDPS_007_DSTDTL_File

Table 7 below provides a description of the file name components, which will assist MAOs and other entities in identifying the report type.

TABLE 7 –FILE NAME COMPONENT DESCRIPTION

FILE NAME COMPONENT	DESCRIPTION
RSPxxxxx	The type of data ‘RSP’ and a sequential number assigned by the server ‘xxxxx’
X12xxxxx	The type of data ‘X12’ and a sequential number assigned by the server ‘xxxxx’
TMMDDCCYYHHMMS	The Date and Time stamp the file was processed
999xxxxx	The type of data ‘999’ and a sequential number assigned by the server ‘xxxxx’
RPTxxxxx	The type of data ‘RPT’ and a sequential number assigned by the server ‘xxxxx’
EDPS_XXX	Identifies the specific EDPS Report along with the report number (i.e., ‘002’, etc.)
XXXXXXX	Seven (7) characters available to be used as a short description of the contents of the file
RPT/FILE	Identifies if the file is a formatted report ‘RPT’ or a flat file ‘FILE’ layout

6.6.2 Production Reports File Naming Convention

A different production reports file naming convention is used so that MAOs and other entities may easily identify reports generated and distributed during production. Table 8 below provides the reports file naming conventions per connectivity method for production reports.

TABLE 8 – PRODUCTION EDFES REPORTS FILE NAMING CONVENTIONS

REPORT TYPE	GENTRAN MAILBOX	FTP MAILBOX
EDFES Notifications	P.xxxxx.EDS_RESPONSE.pn	RSPxxxxx.RSP.REJECTED_ID
TA1	P.xxxxx.EDS_REJT_IC_ISAIEA.pn	X12xxxxx.X12.TMMDDCCYYHHMMS
999	P.xxxxx.EDS_REJT_FUNCT_TRANS.pn	999xxxxx.RSP
999	P.xxxxx.EDS_ACCPT_FUNCT_TRANS.pn	999xxxxx.RSP
277CA	P.xxxxx.EDS_RESP_CLAIM_NUM.pn	RSPxxxxx.RSP_277CA

Table 9 below provides the production EDPS reports file naming conventions per connectivity method.

TABLE 9 – PRODUCTION EDPS REPORTS FILE NAMING CONVENTIONS

CONNECTIVITY METHOD	PRODUCTION NAMING CONVENTION FORMATTED REPORT	PRODUCTION NAMING CONVENTION FLAT FILE LAYOUT
GENTRAN	P.xxxxx.EDPS_001_DataDuplicate_Rpt P.xxxxx.EDPS_002_DataProcessingStatus_Rpt P.xxxxx.EDPS_004_RiskFilter_Rpt P.xxxxx.EDPS_005_DispositionSummary_Rpt P.xxxxx.EDPS_006_EditDisposition_Rpt P.xxxxx.EDPS_007_DispositionDetail_Rpt	P.xxxxx.EDPS_001_DataDuplicate_File P.xxxxx.EDPS_002_DataProcessingStatus_File P.xxxxx.EDPS_004_RiskFilter_File P.xxxxx.EDPS_005_DispositionSummary_File P.xxxxx.EDPS_006_EditDisposition_File P.xxxxx.EDPS_007_DispositionDetail_File
FTP	RPTxxxxx.RPT.PROD_001_DATDUP_RPT RPTxxxxx.RPT.PROD_002_DATPRS_RPT RPTxxxxx.RPT.PROD_004_RSKFLT_RPT RPTxxxxx.RPT.PROD_005_DSPSUM_RPT RPTxxxxx.RPT.PROD_006_EDTDSP_RPT RPTxxxxx.RPT.PROD_007_DSTDTL_RPT	RPTxxxxx.RPT.PROD_001_DATDUP_File RPTxxxxx.RPT.PROD_002_DATPRS_File RPTxxxxx.RPT.PROD_004_RSKFLT_File RPTxxxxx.RPT.PROD_005_DSPSUM_File RPTxxxxx.RPT.PROD_006_EDTDSP_File RPTxxxxx.RPT.PROD_007_DSTDTL_File

6.7 EDFES Notifications

The EDFES distributes special notifications to submitters when encounters have been processed by the EDFES but will not proceed to EDPS for further processing. These notifications are distributed to MAOs and other entities, in addition to standard EDFES acknowledgement reports (TA1, 999, and 277CA) in order to avoid returned, unprocessed files from the EDS.

Table 10 below provides the file type, EDFES notification message, and EDFES notification message description.

The file has an 80 character record length and contains the following record layout:

1. File Name Record
 - a. Positions 1 – 7 = Blank Spaces
 - b. Positions 8 – 18 = File Name:
 - c. Positions 19 – 62 = Name of the Saved File
 - d. Positions 63 – 80 = Blank Spaces
2. File Control Record
 - a. Positions 1 – 4 = Blank Spaces
 - b. Positions 5 – 18 = File Control:
 - c. Positions 19 – 27 = File Control Number
 - d. Positions 28 – 80 = Blank Spaces
3. File Count Record
 - a. Positions 1 – 18 = Number of Claims:
 - b. Positions 19 – 24 = File Claim Count
 - c. Positions 25 – 80 = Blank Spaces
4. File Separator Record
 - a. Positions 1 – 80 = Separator (-----)
5. File Message Record
 - a. Positions 1 – 80 = FILE WAS NOT SENT TO THE EDPS BACK-END PROCESS FOR THE FOLLOWING REASON(S)

TABLE 10 – EDFES NOTIFICATIONS (CONTINUED)

APPLIES TO	ENCOUNTER TYPE	NOTIFICATION MESSAGE	NOTIFICATION MESSAGE DESCRIPTION
End-to-End Testing – File 1 End-to-End Testing – Additional File(s)	All	PATIENT CONTROL NUMBER IS MORE THAN 20 CHARACTERS LONG THE TC# WAS TRUNCATED	The Claim Control Number, including the Test Case Number, must not exceed 20 characters
End-to-End Testing – File 1 End-to-End Testing – Additional File(s)	Professional, Institutional, PACE Professional, PACE Institutional	FILE CANNOT CONTAIN BOTH UNLINKED AND LINKED TEST CASES	The test cases from File 1 and File 2 cannot be in the same file
End-to-End Testing – File 1 End-to-End Testing – Additional File(s)	Professional, Institutional, PACE Professional, PACE Institutional	CANNOT SEND LINKED TEST CASES UNTIL ALL UNLINKED TEST CASES HAVE BEEN ACCEPTED	The test cases for File 2 cannot be sent before all File 1 test cases are accepted
End-to-End Testing – File 1	All	FILE CONTAINS (X) TEST CASE (X) ENCOUNTER(S)	The file must contain two (2) of each test case
End-to-End Testing – Additional File(s)	All	ADDITIONAL FILES CANNOT BE VALIDATED UNTIL AN MAO-002 REPORT HAS BEEN RECEIVED	The MAO-002 report must be received before additional files can be submitted
Production or Test	All	FILE CANNOT EXCEED 5,000 ENCOUNTERS	The maximum number of encounters allowed in a file
Production or Test	All	TRANSACTION SET (ST/SE) (XXXXXXXXXX) CANNOT EXCEED 5,000 CLAIMS	There can only be 5,000 claims in each ST/SE Loop
Production or Test	All	DATE OF SERVICE CANNOT BE BEFORE 2011	Files cannot be submitted with a date of service before 2011

7.0 Front-End Edits

CMS provides a list of the edits used to process all encounters submitted to the EDFES. The Fee-for-Service (FFS) Institutional CEM Edits Spreadsheet identifies currently active and deactivated edits for MAOs to reference for programming their internal systems and reconciling EDFES Acknowledgement Reports.

The CEM Edits Spreadsheet provides documentation regarding edit rules that explain how to identify an edit and the associated logic. The CEM Edits Spreadsheet also provides a change log that lists the revision history for edit updates.

MAOs and other entities are able to access the Institutional CEM Edits Spreadsheet on the CMS website at <https://www.cms.gov/Medicare/Billing/MFFS5010D0/Technical-Documentation.html> and on the CSSC Operations website at:

<http://www.csscooperations.com/internet/cssc3.nsf/docsCat/CSSC~CSSC%20Operations~Encounter%20Data~Resources?open&expand=1&navmenu=Encounter^Data> | |

7.1 Permanently Deactivated Front-End Edits

Several CEM edits currently active in the FFS Institutional CEM edits spreadsheet will be permanently deactivated in order to ensure syntactically correct encounters pass front-edit editing. Table 11 provides a list of the deactivated EDFES CEM edits. The edit reference column provides the exact reference for the deactivated edits. The edit description column provides the Claim Status Category Code (CSCC), the Claim Status Code (CSC), and the Entity Identifier Code (EIC), when applicable. The notes column provides a description of the edit reason. MAOs and other entities should reference the WPC website at www.wpc-edi.com for a complete listing of all CSCCs and CSCs.

TABLE 11 - 837 INSTITUTIONAL PERMANENTLY DEACTIVATED EDFES EDITS

EDIT REFERENCE	EDIT DESCRIPTION	EDIT NOTES
X223.084.2010AA.NM109.040	CSCC A8: "Acknowledgement / Rejected for relational field in error." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 85 Billing Provider	Valid NPI Crosswalk must be available for this edit. 2010AA.NM109 must be a valid NPI on the Crosswalk when evaluated with 1000B.NM109.
X223.084.2010AA.NM109.050	CSCC A8: "Acknowledgement / Rejected for relational field in error" CSC 496 "Submitter not approved for electronic claim submissions on behalf of this entity." EIC: 85 Billing Provider	This Fee for Service edit validates the NPI and submitter ID number to ensure the submitter is authorized to submit on the providers behalf. Encounter data cannot use this validation as we validate the plan number and submitter ID to ensure the submitter is authorized to submit on the plans behalf. 2010AA.NM109 billing provider must be "associated" to the submitter (from a trading partner management perspective) in 1000A.NM109.
X223.087.2010AA.N301.070	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 503: "Entity's Street Address" EIC: 85 Billing Provider	Remove edit check for 2010AA N3 PO Box variations when ISA08 = 80881 (Institutional Payer Code).
X223.090.2010AA.REF02.050	CSCC A8: "Acknowledgement / Rejected for relational field in error" CSC 562: "Entity's National Provider Identifier (NPI)" CSC 128: "Entity's tax id" EIC: 85 Billing Provider	Valid NPI Crosswalk must be available for this edit. 2010AA.REF must be associated with the provider identified in 2010AA.NM109.
X223.127.2010BB.REF.010	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 732: "Information submitted inconsistent with billing guidelines." CSC 560: "Entity's Additional/Secondary Identifier." EIC: PR "Payer"	This REF Segment is used to capture the Plan number as this is unique to Encounter Submission only. The CEM has the following logic that is applied: Non-VA claims: 2010BB.REF with REF01 = "2U", "EI", "FY" or "NF" must not be present. VA claims: 2010BB.REF with REF01 = "EI", "FY" or "NF" must not be present. This edit needs to remain off in order for the submitter to send in his plan number.

TABLE 11 - 837 INSTITUTIONAL PERMANENTLY DEACTIVATED EDFES EDITS (CONTINUED)

EDIT REFERENCE	EDIT DESCRIPTION	EDIT NOTES
X223.143.2300.CLM02.020	IK403 = 6: "Invalid Character in Data Element"	2300.CLM02 must be numeric.
X223.424.2400.SV202-7.025	CSCC A8: "Acknowledgement / Rejected for relational field in error" CSC 306 Detailed description of service 2400.SV202-7 must be present when 2400.SV202-2 contains a non-specific procedure code.	When using a not otherwise classified or generic HCPCS procedure code the CEM is editing for a more descriptive meaning of the procedure code. For example, the submitter is using J3490. The description for this HCPCS is Not Otherwise Classified (NOC) Code. CMS has made a decision not to price claims with these types of codes.
X223.109.2000B.SBR03.040 X223.109.2000B.SBR03.050	CSCC A8: Acknowledgement/ Rejected for relational field in error CSC 163: Entity's Policy Number CSC 732: Information submitted inconsistent with billing guidelines EIC IL: Subscriber	
X223.109.2000B.SBR04.004 X223.109.2000B.SBR04.007	CSCC A8: Acknowledgement/Rejected for relational field in error CSC 663: Entity's Group Name CSC 732: Information submitted inconsistent with billing guidelines EIC IL: Subscriber	
X223.364.2320.AMT.040	CSCC A7: Acknowledgement/Rejected for Invalid Information CSC 41: Special handling required at payer site CSC 286: Other Payer's Explanation of Benefits/payment information CSC 732: Information submitted inconsistent with billing guidelines	
X223.424.2400.SV203.060	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 400: "Claim is out of balance: CSC 583:"Line Item Charge Amount" CSC 643: "Service Line Paid Amount"	SV203 must = the sum of all payer amounts paid found in 2430 SVD02 and the sum of all line adjustments found in 2430 CAS Adjustment Amounts.
X223.476.2430.SVD02.020	IK403 = 6: Invalid Character in Data Element	

7.2 Temporarily Deactivated Front-End Edits

Table 12 below provides a list of the temporarily deactivated EDFES Institutional CEM balancing edits in order to ensure that encounters that require balancing of monetary fields will pass front-end editing.

Note: The Institutional edits listed in Table 12 are not all-inclusive and are subject to amendment.

TABLE 12 – 837 INSTITUTIONAL TEMPORARILY DEACTIVATED CEM EDITS

EDIT REFERENCE	EDIT DESCRIPTION	EDIT NOTES
X223.143.2300.CLM02.080	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 400: "Claim is out of Balance" CSC 672 "Payer's payment information is out of balance"	CLM02 must equal the sum of all 2320 CAS amounts & all 2430 CAS amounts and 2320 AMT02 (when AMT01=D).
X223.143.2300.CLM02.070	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 400: "Claim is out of balance" CSC 178: "Submitted Charges"	2300.CLM02 must = the sum of all 2400.SV203 amounts.
X223.424.2400.SV202-7.025	CSCC A8: "Acknowledgement / Rejected for relational field in error" CSC 306 Detailed description of service 2400.SV202-7 must be present when 2400.SV202-2 contains a non-specific procedure code.	When using a not otherwise classified or generic HCPCS procedure code the CEM is editing for a more descriptive meaning of the procedure code. For example, the submitter is using J3490. The description for this HCPCS is Not Otherwise Classified (NOC) Code. CMS has made a decision not to price claims with these types of codes.

8.0 Duplicate Logic

In order to ensure encounters submitted are not duplicates of encounters previously submitted, the EDS will perform header and detail level duplicate checking. If the header and/or detail level duplicate checking determines the file is a duplicate, the file will reject as a duplicate, and an error report will be returned to the submitter.

8.1 Header Level

When a file (ISA – IEA) is received, the system assigns a hash total to the file based on the entire ISA/IEA interchange. The EDS uses hash totals to ensure the accuracy of processed data. The hash total is a total of several fields or data in a file, including fields not normally used in calculations, such as the account number. At various stages in processing, the hash total is recalculated and compared with the original. If a file comes in later in a different submission, or a different submission of the same file, and gets the same hash total, it will reject as a duplicate.

In addition to the hash total, the system also references the values collectively populated in ISA13, GS06, ST02, and BHT03. If two (2) files are submitted with the exact same values populated as a previously submitted and accepted file, the file will be considered a duplicate and the error message CSCC - A8 = Acknowledgement / Rejected for relational field in error, CSC -746 = Duplicate Submission will be provided on the 277CA.

8.2 Detail Level

Once an encounter passes through the Institutional or Professional processing and pricing system, it is stored in an internal repository, the Encounter Operational Data Store (EODS). If a new encounter is submitted that matches specific values to another stored encounter, the encounter will reject as a

duplicate encounter. The encounter will be returned to the submitter with an error message identifying it as a duplicate encounter. Currently, the following values are the minimum set of items used for matching an encounter in the EODS:

- Beneficiary Demographic
 - Health Insurance Claim Number (HICN)
 - Name
- Date of Service
- Type of Bill (TOB)
- Revenue Code(s)
- Procedure Code(s) and 4 modifiers
- Billing Provider NPI
- Paid Amount*

* Paid Amount is the amount paid by the MAO or other entity and should be populated in Loop ID-2320, AMT02.

9.0 837 Institutional Business Cases

In accordance with 45 CFR 160.103 of the HIPAA, Protected Health Information (PHI) has been removed from all business cases. As a result, the business cases have been populated with fictitious information about the Subscriber, MAO, and provider(s). The business cases reflect 2012 dates of service.

Although the business cases are provided as examples of possible encounter submissions, MAOs and other entities must populate valid data in order to successfully pass translator and CEM level editing.

MAOs and other entities should direct questions regarding the contents of the EDS Test Case Specification to eds@ardx.net.

9.1 Standard Institutional Encounter

Business Scenario 1: Mary Dough is the patient and the subscriber, and was admitted into Mercy Hospital because she was complaining of heart pain. Happy Health Plan was the MAO. Mercy Hospital diagnosed Mary with Congestive Health Failure as the primary diagnosis and diabetes as an additional diagnosis.

File String 1:

```
ISA*00*      *00*      *ZZ*ENH9999      *ZZ*80881      *120816*114
4*^*00501*00000031*1*P*::~~
GS*HC*ENH9999*80881*20120816*1144*31*X*005010X223A2~
ST*837*0034*005010X223A2~
BHT*0019*00*3920394930203*20120814*1615*CH~
NM1*41*2*HAPPY HEALTH PLAN*****46*ENH9999~
PER*IC*JANE DOE*TE*5555552222~
NM1*40*2*EDSCMS*****46*80881~
HL*1**20*1~
NM1*85*2*MERCY HOSPITAL*****XX*1299999999~
N3*876 MERCY DRIVE~
N4*NORFOLK*VA*235089999~
REF*EI*344232321~
PER*IC*BETTY SMITH*TE*9195551111~
HL*2*1*22*0~
SBR*S*18*XYZ1234567*****MA~
NM1*IL*1*DOUGH*MARY*****MI*672148306~
N3*1234 STATE DRIVE~
N4*NORFOLK*VA*235099999~
DMG*D8*19390807*F~
NM1*PR*2*EDSCMS*****PI*80881~
N3*7500 SECURITY BLVD~
N4*BALTIMORE*MD*212441850
REF*2U*H9999~
CLM*22350578967509876984536578798A*200.00***11:A:1**A*Y*Y~
DTP*096*TM*0958~
DTP*434*RD8*20120330-20120331~
DTP*435*D8*20120330~
CL1*2*9*01~
HI*BK:4280~
HI*BJ:4280~
HI*BF:25000~
HI*BR:3121:D8:20120330~
HI*BH:41:D8:20110501*BH:27:D8:20110715*BH:33:D8:20110718*BH:C2:D8:20110729~
HI*BE:30:::20~
HI*BG:01~
NM1*71*1*JONES*AMANDA*AL***XX*1005554104~
```

SBR*P*18*XYZ1234567*****16~
AMT*D*200.00~
OI***Y***Y~
NM1*IL*1*DOUGH*MARY****MI*672148306~
N3*1234 STATE DRIVE~
N4*NORFOLK*VA*235099999~
NM1*PR*2*HAPPY HEALTH PLAN*****XV*H9999~
N3*705 E HUGH ST~
N4*NORFOLK*VA*235049999~
REF*T4*Y~
LX*1~
SV2*0300*HC:81099*200.00*UN*1~
DTP*472*D8*20120330~
SVD*H9999*200.00*HC:81099*0300*1~
DTP*573*D8*20120401~
SE*50*0034~
GE*1*31~
IEA*1*000000031~

9.2 Capitated Institutional Encounter

Business Scenario 2: Mary Dough is the patient and the subscriber, and went to Mercy Hospital because she was experiencing leg pain. Happy Health Plan was the MAO and has a capitated arrangement with Mercy Hospital. Mercy Hospital diagnosed Mary with diabetes and leg pain.

File String 2:

```
ISA*00*      *00*      *ZZ*ENH9999      *ZZ*80881      *120816*114
4*^*00501*000000331*1*P*::~~
GS*HC*ENH9999*80881*20120816*1144*30*X*005010X223A2~
ST*837*0021*005010X223A2~
BHT*0019*00*3920394930203*20120814*1615*CH~
NM1*41*2*HAPPY HEALTH PLAN*****46*ENH9999~
PER*IC*JANE DOE*TE*5555552222~
NM1*40*2*EDSCMS*****46*80881~
HL*1**20*1~
NM1*85*2*MERCY HOSPITAL*****XX*1299999999~
N3*876 MERCY DRIVE~
N4*NORFOLK*VA*235089999~
REF*EI*344232321~
PER*IC*BETTY SMITH*TE*9195551111~
HL*2*1*22*0~
SBR*S*18*XYZ1234567*****MA~
NM1*IL*1*DOUGH*MARY****MI*672148306~
N3*1234 STATE DRIVE~
N4*NORFOLK*VA*235099999~
DMG*D8*19390807*F~
NM1*PR*2*EDSCMS*****PI*80881~
N3*7500 SECURITY BLVD~
N4*BALTIMORE*MD*212441850
REF*2U*H9999~
CLM*22350578967509876984536578798A *0.00***11:A:1**A*Y*Y~
DTP*096*TM*0958~
DTP*434*RD8*20120330-20120331~
DTP*435*D8*20120330~
CL1*2*9*01~
CN1*05~
HI*BK:4280~
HI*BJ:4280~
HI*BF:25000~
HI*BR:3121:D8:20120330~
HI*BH:41:D8:20110501*BH:27:D8:20110715*BH:33:D8:20110718*BH:C2:D8:20110729~
HI*BE:30:::20~
HI*BG:01~
NM1*71*1*JONES*AMANDA*AL***XX*1005554104~
```

SBR*P*18*XYZ1234567*****ZZ~
AMT*D*100.50~
OI***Y***Y~
NM1*IL*1*DOUGH*MARY****MI*672148306~
N3*1234 STATE DRIVE~
N4*NORFOLK*VA*235099999~
NM1*PR*2*HAPPY HEALTH PLAN*****XV*H9999~
N3*705 E HUGH ST~
N4*NORFOLK*VA*235049999~
LX*1~
SV2*0300*HC:81099*0.00*UN*1~
DTP*472*D8*20120330~
SVD*H9999*100.50*HC:81099*0300*1~
CAS*CO*24*-100.50~
DTP*573*D8*20120401~
SE*50*0021~
GE*1*30~
IEA*1*000000331~

9.3 Chart Review Institutional Encounter – No Linked ICN

Business Scenario 3: Mary Dough is the patient and the subscriber, and went to Mercy Hospital because she was experiencing leg pain. Happy Health Plan was the MAO. Happy Health Plan performs a chart review at Mercy Hospital and determines that a diagnosis for Mary Dough was never submitted on a claim. The medical record does not contain enough information to submit a full claim, yet there is enough information to support the diagnosis and link the chart review encounter back to the medical record. Happy Health Plan submits a chart review encounter with no linked ICN to add the diagnosis.

File String 3:

```
ISA*00*      *00*      *ZZ*ENH9999      *ZZ*80881      *120816*114
4*^*00501*000000031*1*P*~
GS*HC*ENH9999*80881*20120816*1144*31*X*005010X223A2~
ST*837*0034*005010X223A2~
BHT*0019*00*3920394930203*20120814*1615*CH~
NM1*41*2*HAPPY HEALTH PLAN*****46*ENH9999~
PER*IC*JANE DOE*TE*5555552222~
NM1*40*2*EDSCMS*****46*80881~
HL*1**20*1~
NM1*85*2*MERCY HOSPITAL*****XX*1299999899~
N3*876 MERCY DRIVE~
N4*NORFOLK*VA*235089999~
REF*EI*344232321~
PER*IC*BETTY SMITH*TE*9195551111~
HL*2*1*22*0~
SBR*S*18*XYZ1234567*****MA~
NM1*IL*1*DOUGH*MARY*****MI*672148306~
N3*1234 STATE DRIVE~
N4*NORFOLK*VA*235099999~
DMG*D8*19390807*F~
NM1*PR*2*EDSCMS*****PI*80881~
N3*7500 SECURITY BLVD~
N4*BALTIMORE*MD*212441850
REF*2U*H9999~
CLM*22350578967509876984536578798A*0.00***11:A:1**A*Y*Y~
DTP*096*TM*0958~
DTP*434*RD8*20120330-20120331~
DTP*435*D8*20120330~
CL1*2*9*01~
PWK*09*AA~
HI*BK:4280~
HI*BJ:4280~
HI*BF:25000~
```

HI*BR:3121:D8:20120330~
HI*BH:41:D8:20110501*BH:27:D8:20110715*BH:33:D8:20110718*BH:C2:D8:20110729~
HI*BE:30:::20~
HI*BG:01~
NM1*71*1*JONES*AMANDA*AL***XX*1005554104~
SBR*P*18*XYZ1234567*****16~
AMT*D*0.00~
OI***Y***Y~
NM1*IL*1*DOUGH*MARY****MI*672148306~
N3*1234 STATE DRIVE~
N4*NORFOLK*VA*235099999~
NM1*PR*2*HAPPY HEALTH PLAN*****XV*H9999~
N3*705 E HUGH ST~
N4*NORFOLK*VA*235049999~
REF*T4*Y~
LX*1~
SV2*0300*HC:81099*0.00*UN*1~
DTP*472*D8*20120330~
SE*49*0034~
GE*1*31~
IEA*1*000000031~

9.4 Chart Review Institutional Encounter – Linked ICN

Business Scenario 4: Mary Dough is the patient and the subscriber, and went to Mercy Hospital because she was experiencing leg pain. Happy Health Plan was the MAO. Mercy Hospital submits the encounter to CMS and receives an ICN of 1294598098746. Happy Health Plan performs a chart review related to ICN 1294598098746 and determines that there is an incorrect NPI was populated for the Billing Provider.

File String 4:

```
ISA*00*      *00*      *ZZ*ENH9999      *ZZ*80881      *120816*114
4*^*00501*00000031*1*P*:~
GS*HC*ENH9999*80881*20120816*1144*31*X*005010X223A2~
ST*837*0034*005010X223A2~
BHT*0019*00*3920394930203*20120814*1615*CH~
NM1*41*2*HAPPY HEALTH PLAN*****46*ENH9999~
PER*IC*JANE DOE*TE*5555552222~
NM1*40*2*EDSCMS*****46*80881~
HL*1**20*1~
NM1*85*2*MERCY HOSPITAL*****XX*1299999899~
N3*876 MERCY DRIVE~
N4*NORFOLK*VA*235089999~
REF*EI*344232321~
PER*IC*BETTY SMITH*TE*9195551111~
HL*2*1*22*0~
SBR*S*18*XYZ1234567*****MA~
NM1*IL*1*DOUGH*MARY****MI*672148306~
N3*1234 STATE DRIVE~
N4*NORFOLK*VA*235099999~
DMG*D8*19390807*F~
NM1*PR*2*EDSCMS*****PI*80881~
N3*7500 SECURITY BLVD~
N4*BALTIMORE*MD*212441850
REF*2U*H9999~
CLM*22350578967509876984536578798A*0.00***11:A:1**A*Y*Y~
DTP*096*TM*0958~
DTP*434*RD8*20120330-20120331~
DTP*435*D8*20120330~
CL1*2*9*01~
PWK*09*AA~
REF*F8*1294598098746~
HI*BK:4280~
HI*BJ:4280~
HI*BF:25000~
HI*BR:3121:D8:20120330~
HI*BH:41:D8:20110501*BH:27:D8:20110715*BH:33:D8:20110718*BH:C2:D8:20110729~
```

HI*BE:30:::20~
HI*BG:01~
NM1*71*1*JONES*AMANDA*AL***XX*1005554106~
SBR*P*18*XYZ1234567*****16~
AMT*D*0.00~
OI***Y***Y~
NM1*IL*1*DOUGH*MARY****MI*672148306~
N3*1234 STATE DRIVE~
N4*NORFOLK*VA*235099999~
NM1*PR*2*HAPPY HEALTH PLAN*****XV*H9999~
N3*705 E HUGH ST~
N4*NORFOLK*VA*235049999~
REF*T4*Y~
LX*1~
SV2*0300*HC:81099*0.00*UN*1~
DTP*472*D8*20120330~
SE*50*0034~
GE*1*31~
IEA*1*000000031~

9.5 Complete Replacement Institutional Encounter

Business Scenario 5: Mary Dough is the patient and the subscriber, and went to Mercy Hospital because she was experiencing heart pain. Happy Health Plan is the MAO. Mercy Hospital diagnosed Mary with Congestive Heart Failure and diabetes. Happy Health Plan submits the encounter to CMS and receives an ICN 1122978564098. After further investigation, it was determined that Happy Health Plan should not have paid for \$120.00. Happy Health Plan submits a correct and replace adjustment encounter to replace encounter 1122978564098 with the newly submitted encounter.

File String 5:

```
ISA*00*      *00*      *ZZ*ENH9999      *ZZ*80881      *120816*114
4*^*00501*000000554*1*P*~
GS*HC*ENH9999*80881*20120816*1144*80*X*005010X223A2~
ST*837*0567*005010X223A2~
BHT*0019*00*3920394930203*20120814*1615*CH~
NM1*41*2*HAPPY HEALTH PLAN*****46*ENH9999~
PER*IC*JANE DOE*TE*5555552222~
NM1*40*2*EDSCMS*****46*80881~
HL*1**20*1~
NM1*85*2*MERCY HOSPITAL*****XX*1299999999~
N3*876 MERCY DRIVE~
N4*NORFOLK*VA*235089999~
REF*EI*344232321~
PER*IC*BETTY SMITH*TE*9195551111~
HL*2*1*22*0~
SBR*S*18*XYZ1234567*****MA~
NM1*IL*1*DOUGH*MARY*****MI*672148306~
N3*1234 STATE DRIVE~
N4*NORFOLK*VA*235099999~
DMG*D8*19390807*F~
NM1*PR*2*EDSCMS*****PI*80881~
N3*7500 SECURITY BLVD~
N4*BALTIMORE*MD*212441850
REF*2U*H9999~
CLM*22350578967509876984536578798A*200.00***11:A:7**A*Y*Y~
DTP*096*TM*0958
DTP*434*RD8*20120330-20120331~
DTP*435*D8*20120330-20120331~
CL1*2*9*01~
REF*F8*1222978564098~
HI*BK:4280~
HI*BJ:4280~
HI*BR:3121:D8:20120330~
```

HI*BH:41:D8:20110501*BH:27:D8:20110715*BH:33:D8:20110718*BH:C2:D8:20110729~
HI*BE:30:::20~
HI*BG:01~
NM1*71*1*JOHNSON*AMANDA*AL***XX*1005554104~
SBR*P*18*XYZ1234567*****16~
CAS*CO*39*120.00~
AMT*D*80.00~
OI***Y***Y~
NM1*IL*1*DOUGH*MARY*****MI*672148306~
N3*1234 STATE DRIVE~
N4*NORFOLK*VA*235099999~
NM1*PR*2*HAPPY HEALTH PLAN*****XV*H9999~
N3*705 E HUGH ST~
N4*NORFOLK*VA*235048769~
DTP*573*20120401~
LX*1~
SV2*0300*HC:81099*200.00*UN*1~
DTP*472*D8*20120330~
SE*49*0567~
GE*1*80~
IEA*1*000000554~

9.6 Complete Deletion Institutional Encounter

Business Scenario 6: Mary Dough is the patient and the subscriber, and went to Dr. Elizabeth A. Smart because she was experiencing abdominal pain. Happy Health Plan is the MAO. Dr. Smart diagnosed Mary with abdominal pain. Happy Health Plan submits the encounter to CMS and receives ICN 121248700032. Happy Health Plan then determines that they mistakenly sent the encounter without it being adjudicated in their internal system, so they want to delete the encounter. Happy Health Plan submits an adjustment encounter to delete the previously submitted encounter 121248700032.

File String 6:

```
ISA*00*      *00*      *ZZ*ENH9999      *ZZ*80881      *120430*114
4*^*00501*000000298*1*P*~
GS*HC*ENH9999*80881*20120430*1144*82*X*005010X222A1~
ST*837*0290*005010X222A1~
BHT*0019*00*3920394930206*20120428*1615*CH~
NM1*41*2*HAPPY HEALTH PLAN*****46*ENH9999~
PER*IC*JANE DOE*TE*5555552222~
NM1*40*2*EDSCMS*****46*80881~
HL*1**20*1~
NM1*85*1*SMART*ELIZABETH*A**MD*XX*1299999999~
N3*123 CENTRAL DRIVE~
N4*NORFOLK*VA*235139999~
REF*EI*765879876~
PER*IC*BETTY SMITH*TE*9195551111~
HL*2*1*22*0~
SBR*S*18*XYZ1234567**47****MB~
NM1*IL*1*DOUGH*MARY*****MI*672148306~
N3*1234 STATE DRIVE~
N4*NORFOLK*VA*235099999~
DMG*D8*19390807*F~
NM1*PR*2*EDSCMS*****PI*80881~
N3*7500 SECURITY BLVD~
N4*BALTIMORE*MD*212441850~
REF*2U*H9999~
CLM*2997677856479709654A*100.50***11:B:8*Y*A*Y*Y~
REF*F8*121248700032~
HI*BK:78901~
SBR*P*18*XYZ1234567*****16~
CAS*CO*223*100.50~
AMT*D*0.00~
OI***Y***Y~
NM1*IL*1*DOUGH*MARY*****MI*672148306~
N3*1234 STATE DRIVE~
N4*NORFOLK*VA*235099999~
NM1*PR*2*HAPPY HEALTH PLAN*****XV*H9999~
```

N3*705 E HUGH ST~
N4*NORFOLK*VA*235049999~
REF*T4*Y~
LX*1~
SV2*HC:99212*100.50*UN*1***1~
DTP*472*D8*20120401~
SVD*H9999*0.00*HC:99212**1~
DTP*573*D8*20120403~
SE*41*0290~
GE*1*82~
IEA*1*000000298~

9.7 Atypical Provider Institutional Encounter

Business Scenario 7: Mary Dough is the patient and the subscriber, and receives services from an atypical provider. Happy Health Plan was the MAO.

File String 7:

```
ISA*00*      *00*      *ZZ*ENH9999      *ZZ*80881      *120816*114
4*^*00501*000000032*1*P*~
GS*HC*ENH9999*80881*20120816*1144*35*X*005010X223A2~
ST*837*0039*005010X223A2~
BHT*0019*00*3920394930203*20120814*1615*CH~
NM1*41*2*HAPPY HEALTH PLAN*****46*ENH9999~
PER*IC*JANE DOE*TE*5555552222~
NM1*40*2*EDSCMS*****46*80881~
HL*1**20*1~
NM1*85*2*MERCY SERVICES*****XX*1999999976~
N3*876 MERCY DRIVE~
N4*NORFOLK*VA*235089999~
REF*EI*199999997~
PER*IC*BETTY SMITH*TE*9195551111~
HL*2*1*22*0~
SBR*S*18*XYZ1234567*****MA~
NM1*IL*1*DOUGH*MARY*****MI*672148306~
N3*1234 STATE DRIVE~
N4*NORFOLK*VA*235099999~
DMG*D8*19390807*F~
NM1*PR*2*EDSCMS*****PI*80881~
N3*7500 SECURITY BLVD~
N4*BALTIMORE*MD*212441850
REF*2U*H9999~
CLM*22350578967509876984536578799A*50.00***83:A:1**A*Y*Y~
DTP*434*RD8*20120330-20120331~
CL1*9*9*01~
HI*BK:78099~
NTE*ADD* NO NPI ON PROVIDER CLAIM NO EIN ON PROVIDER CLAIM~
SBR*P*18*XYZ1234567*****16~
AMT*D*50.00~
OI***Y***Y~
NM1*IL*1*DOUGH*MARY*****MI*672148306~
N3*1234 STATE DRIVE~
N4*NORFOLK*VA*235099999~
NM1*PR*2*HAPPY HEALTH PLAN*****XV*H9999~
N3*705 E HUGH ST~
N4*NORFOLK*VA*235049999~
REF*T4*Y~
```

LX*1~
SV2*0300*HC:D0999*50.00*UN*1~
DTP*472*D8*20120330~
SVD*H9999*50.00*HC:D0999*0300*1~
DTP*573*D8*20120401~
SE*41*0039~
GE*1*35~
IEA*1*000000032~

9.8 Paper Generated Institutional Encounter

Business Scenario 8: Mary Dough is the patient and the subscriber, and receives services from Mercy Health Plan. Mercy Health Plan submits the claim to Happy Health Plan on a UB-04. Happy Health Plan is the MAO and converts the paper claim into an electronic submission.

File String 8:

```
ISA*00*      *00*      *ZZ*ENH9999      *ZZ*80881      *120816*114
4*^*00501*000000032*1*P*::~~
GS*HC*ENH9999*80881*20120816*1144*35*X*005010X223A2~
ST*837*0039*005010X223A2~
BHT*0019*00*3920394930203*20120814*1615*CH~
NM1*41*2*HAPPY HEALTH PLAN*****46*ENH9999~
PER*IC*JANE DOE*TE*5555552222~
NM1*40*2*EDSCMS*****46*80881~
HL*1**20*1~
NM1*85*2*MERCY SERVICES*****XX*1234999999~
N3*876 MERCY DRIVE~
N4*NORFOLK*VA*235089999~
REF*EI*128752354~
PER*IC*BETTY SMITH*TE*9195551111~
HL*2*1*22*0~
SBR*S*18*XYZ1234567*****MA~
NM1*IL*1*DOUGH*MARY*****MI*672148306~
N3*1234 STATE DRIVE~
N4*NORFOLK*VA*235099999~
DMG*D8*19390807*F~
NM1*PR*2*EDSCMS*****PI*80881~
N3*7500 SECURITY BLVD~
N4*BALTIMORE*MD*212441850~
REF*2U*H9999~
CLM*22350578967509876984536578799A*50.00***83:A:1**A*Y*Y~
DTP*434*RD8*20120330-20120331~
CL1*9*9*01~
PWK*OZ*AA~
HI*BK:78099~
SBR*P*18*XYZ1234567*****16~
AMT*D*50.00~
OI***Y***Y~
NM1*IL*1*DOUGH*MARY*****MI*672148306~
N3*1234 STATE DRIVE~
N4*NORFOLK*VA*235099999~
NM1*PR*2*HAPPY HEALTH PLAN*****XV*H9999~
N3*705 E HUGH ST~
N4*NORFOLK*VA*235049999~
```

REF*T4*Y~
LX*1~
SV2*0300*HC:D0999*50.00*UN*1~
DTP*472*D8*20120330~
SVD*H9999*50.00*HC:D0999*0300*1~
DTP*573*D8*20120403~
SE*42*0039~
GE*1*35~
IEA*1*000000032~

9.9 True Coordination of Benefits Institutional Encounter

Business Scenario 9: Mary Dough is the patient and the subscriber and was admitted into Mercy Hospital because she was complaining of heart pain. Happy Health Plan was the MAO. Other Health Plan also provided payment for Mary Dough. Mercy Hospital diagnosed Mary with Congestive Health Failure as the primary diagnosis and diabetes.

File String 9:

```
ISA*00*      *00*      *ZZ*ENH9999      *ZZ*80881      *120816*114
4*^*00501*00000031*1*P*::~~
GS*HC*ENH9999*80881*20120816*1144*31*X*005010X223A2~
ST*837*0034*005010X223A2~
BHT*0019*00*3920394930203*20120814*1615*CH~
NM1*41*2*HAPPY HEALTH PLAN*****46*ENH9999~
PER*IC*JANE DOE*TE*5555552222~
NM1*40*2*EDSCMS*****46*80881~
HL*1**20*1~
NM1*85*2*MERCY HOSPITAL*****XX*1299999999~
N3*876 MERCY DRIVE~
N4*NORFOLK*VA*2350899999~
REF*EI*344232321~
PER*IC*BETTY SMITH*TE*9195551111~
HL*2*1*22*0~
SBR*S*18*XYZ1234567*****MA~
NM1*IL*1*DOUGH*MARY*****MI*672148306~
N3*1234 STATE DRIVE~
N4*NORFOLK*VA*2350999999~
DMG*D8*19390807*F~
NM1*PR*2*EDSCMS*****PI*80881~
N3*7500 SECURITY BLVD~
N4*BALTIMORE*MD*212441850
REF*2U*H9999~
CLM*22350578967509876984536578799A*712.00***11:A:1**A*Y*Y~
DTP*096*TM*0958~
DTP*434*RD8*20120330-20120331~
DTP*435*D8*20120330~
CL1*2*9*01~
HI*BK:78901~
NM1*71*1*JONES*AMANDA*AL***XX*1005554104~
SBR*P*18*XYZ1234567*****16~
AMT*D*700.00
OI***Y***Y~
NM1*IL*1*DOUGH*MARY*****MI*672148306~
N3*1234 STATE DRIVE~
N4*NORFOLK*VA*2350999999~
```

NM1*PR*2*HAPPY HEALTH PLAN*****XV*H9999~
N3*705 E HUGH ST~
N4*NORFOLK*VA*235049999~
SBR*T*18*XYZ3489388*****16~
CAS*CO*223*700.00~
AMT*D*12.00~
OI***Y***Y~
NM1*IL*1*DOUGH*MARY****MI*672148306~
N3*1234 STATE DRIVE~
N4*NORFOLK*VA*235099999~
NM1*PR*2*OTHER HEALTH PLAN*****XV*PAYER01~
N3*400 W 21 ST~
N4*NORFOLK*VA*235059999~
DTP*573*D8*20120401~
REF*T4*Y
LX*1~
SV2*0300*HC:81099*712.00*UN*1~
DTP*472*D8*20120330~
SVD*H9999*700.00*HC:D0999*0300*1~
CAS*CO*45*12.00~
DTP*573*D8*20120401~
SE*56*0034~
GE*1*31~
IEA*1*000000031~

9.10 Bundled Institutional Encounter

Business Scenario 10: Mary Dough is the patient and the subscriber and was admitted into Mercy Hospital because she was complaining of heart pain. Happy Health Plan was the MAO. Mercy Hospital diagnosed Mary with Congestive Health Failure as the primary diagnosis and diabetes.

File String 10:

```
ISA*00*      *00*      *ZZ*ENH9999      *ZZ*80881      *120816*114
4*^*00501*00000031*1*P*::~~
GS*HC*ENH9999*80881*20120816*1144*31*X*005010X223A2~
ST*837*0034*005010X223A2~
BHT*0019*00*3920394930203*20120814*1615*CH~
NM1*41*2*HAPPY HEALTH PLAN*****46*ENH9999~
PER*IC*JANE DOE*TE*5555552222~
NM1*40*2*EDSCMS*****46*80881~
HL*1**20*1~
NM1*85*2*MERCY HOSPITAL*****XX*1299999999~
N3*876 MERCY DRIVE~
N4*NORFOLK*VA*235089999~
REF*EI*344232321~
PER*IC*BETTY SMITH*TE*9195551111~
HL*2*1*22*0~
SBR*S*18*XYZ1234567*****MA~
NM1*IL*1*DOUGH*MARY****MI*672148306~
N3*1234 STATE DRIVE~
N4*NORFOLK*VA*235099999~
DMG*D8*19390807*F~
NM1*PR*2*EDSCMS*****PI*80881~
N3*7500 SECURITY BLVD~
N4*BALTIMORE*MD*212441850
REF*2U*H9999~
CLM*22350578967509876984536578798A*100.00***11:A:1**A*Y*Y~
DTP*096*TM*0958~
DTP*434*RD8*20120330-20120331~
DTP*435*D8*20120330~
CL1*2*9*01~
HI*BK:4280~
HI*BJ:4280~
HI*BF:25000~
HI*BR:3121:D8:20120330~
HI*BH:41:D8:20110501*BH:27:D8:20110715*BH:33:D8:20110718*BH:C2:D8:20110729~
HI*BE:30:::20~
HI*BG:01~
NM1*71*1*JONES*AMANDA*AL***XX*1005554104~
```

SBR*P*18*XYZ1234567*****16~
AMT*D*9.48~
OI***Y***Y~
NM1*IL*1*DOUGH*MARY****MI*672148306~
N3*1234 STATE DRIVE~
N4*NORFOLK*VA*235099999~
NM1*PR*2*HAPPY HEALTH PLAN*****XV*H9999~
N3*705 E HUGH ST~
N4*NORFOLK*VA*235049999~
REF*T4*Y~
LX*1~
SV2*HC:82374*50.00*UN*1***1~
DTP*472*D8*20120401~
SVD*H9999*9.48*HC:80051**1~
CAS*CO*45*40.52~
DTP*573*D8*20120403~
LX*2~
SV2*HC:82435*50.00*UN*1*11~
DTP*472*D8*20120401~
SVD*H9999*0.00*HC:80051**1*1~
CAS*OA*97*50.00~
DTP*573*D8*20120403~
SE*57*0034~
GE*1*31~
IEA*1*000000031~

10.0 Encounter Data Institutional Processing and Pricing System Edits

After an Institutional encounter passes translator and CEM level editing and receives an ICN on the 277CA acknowledgement report, the EDFES then transfers the encounter to the Encounter Data Institutional Processing and Pricing System (EDIPPS), where editing, processing, pricing, and storage occurs. In order to assist MAOs and other entities with submission of encounter data through the EDIPPS, CMS has provided the current list of the EDIPPS edits identified in Table 13.

Note: The error descriptions listed in Table 13 were revised to identify a maximum of 41 characters in order to display a more comprehensive explanation of edits on the MAO-002 Reports.

The EDIPPS edits are organized in nine (9) different categories, as provided in Table 13, Column 2. The EDIPPS edit categories include the following:

- Validation
- Provider
- Beneficiary
- Reference
- Limit
- Conflict
- Pricing
- Duplicate
- NCCI

Table 13, Column 3 identifies two (2) edit dispositions: Informational and Reject. Informational edits will cause an informational flag to be placed on the encounter; however, the Informational edit will not cause processing and/or pricing to cease. Reject edits will cause an encounter to stop processing and/or pricing, and the MAO or other entity must resubmit the encounter through the EDFES. The encounter must then pass translator and CEM level editing prior to transferring the data to the EDIPPS for reprocessing. The EDIPPS error message, as found in Column 4 in Table 13, is included on EDPS transaction reports and gives further information to the MAO or other entity of the specific reason for the edit generated.

If there is no reject edit at the header level and at least one of the lines is accepted, then the encounter is accepted. If there is no reject edit at the header level, but all lines reject, then the encounter will reject. If there is a reject edit at the header level, the encounter will reject.

Table 13 reflects only the currently programmed EDIPPS edits. MAOs and other entities should note that, as testing progresses, it may be determined that the current edits require modifications, additional edits may be necessary or edits may be temporarily or permanently deactivated. MAOs and other entities must always reference the most recent version of the CMS EDS 837-I Companion Guide to determine the current edits in the EDIPPS.

TABLE 13 - ENCOUNTER DATA INSTITUTIONAL PROCESSING AND PRICING SYSTEM (EDIPPS) EDITS

EDIPPS EDIT#	EDIPPS EDIT CATEGORY	EDIPPS EDIT DESCRIPTION	EDIPPS EDIT ERROR MESSAGE
00010	Validation	Reject	From DOS Greater Than TCN Date
00011	Validation	Reject	Missing DOS in Header/Line
00012	Validation	Reject	DOS Prior to 2012
00025	Validation	Reject	Through DOS After Receipt Date
00265	Validation	Reject	Correct/Replace or Void ICN Not in EODS
00699	Validation	Reject	Void Must Match Original
00755	Validation	Reject	Void Encounter Already Voided
00760	Validation	Reject	Correct/Replace Previously Submitted
00761	Validation	Reject	Billing Provider Different from Original
00762	Validation	Reject	Unable to Void Rejected Encounter
01405	Provider	Reject	Sanctioned Provider
01415	Provider	Informational	Rendering Provider Not Eligible For DOS
02106	Beneficiary	Informational	Invalid Beneficiary Last Name
02110	Beneficiary	Reject	Beneficiary HICN Not On File
02112	Beneficiary	Reject	DOS After Beneficiary DOD
02120	Beneficiary	Informational	Beneficiary Gender Mismatch
02125	Beneficiary	Reject	Beneficiary DOB Mismatch
02240	Beneficiary	Reject	Beneficiary Not Enrolled In MAO For DOS
02255	Beneficiary	Reject	Beneficiary Not Part A Eligible For DOS
02256	Beneficiary	Reject	Beneficiary Not Part C Eligible For DOS
02260	Validation	Reject	TOB Conflict With The Coverage Services
03015	Reference	Reject	DOS Spans CPT/HCPCS Effective/End Date
03022	Pricing	Reject	Invalid CMG for IRF Encounter
03101	Reference	Informational	Invalid Gender for CPT/HCPCS
17085	Validation	Reject	CC 40 Required for Same Day Transfer
17100	Validation	Reject	DOS Required for HH Encounter
17257	Validation	Informational	Rev Code 091X Not Allowed
17310	Validation	Reject	Rev Code 036X Requires Surgical CPT/HCPCS
17330	Reference	Reject	Correct/Replace Not Allowed for RAP
17404	Validation	Reject	Duplicate CPT/HCPCS and Unit Exceeds 1
17407	Validation	Reject	Modifier Requires HCPCS Code
17590	Validation	Reject	VC 05 Not Present/Conflicts With Amt
17595	Validation	Reject	VC 05 Invalid with Rev Code
17735	Validation	Reject	Modifier Not Within Effective Date
18010	Reference	Informational	Age and Dx Code Conflict
18012	Reference	Informational	Gender and Dx Code Conflict
18018	Reference	Informational	Gender and CPT/HCPCS Conflict
18120	Reference	Reject	ICD-9 Dx Code Error
18121	Reference	Reject	ICD-9 CPT/HCPCS Error
18130	Reference	Reject	Duplicate Principal Dx Code

**TABLE 13 - ENCOUNTER DATA INSTITUTIONAL PROCESSING AND PRICING SYSTEM (EDIPPS) EDITS
(CONTINUED)**

EDIPPS EDIT#	EDIPPS EDIT CATEGORY	EDIPPS EDIT DESCRIPTION	EDIPPS EDIT ERROR MESSAGE
18135	Reference	Reject	Principal Dx Code is Manifestation Code
18140	Reference	Reject	Principal Dx Code is E-Code
18145	Reference	Reject	Unacceptable Dx Code
18260	Reference	Reject	Invalid Rev Code
18265	Reference	Informational	Dx Code V70.7 Required
18270	Validation	Informational	Rev Code and HCPCS Required
18495	Validation	Reject	Invalid Digit for CPT/HCPCS
18500	Conflict	Informational	Multiple CPT/HCPCS for Same Service
18540	Reference	Informational	CPT/HCPCS Service Unit Out Of Range
18705	Validation	Reject	Invalid Discharge Status
18710	Validation	Reject	Missing/Invalid POA Indicator
18730	Reference	Reject	Invalid Modifier Format
18905	Validation	Reject	Age Is 0 Or Exceeds 124
20035	Validation	Reject	Requires DOS for Rev Code 057X
20270	Validation	Reject	From & Thru Dates Equal - Day Count > 1
20450	Validation	Reject	Attending Physician is Sanctioned
20455	Validation	Informational	Operating Provider Is Sanctioned
20500	Conflict	Reject	Invalid DOS for Rev Code Billed
20505	Conflict	Reject	Correct Ambulance HCPCS/Rev Code Required
20510	Conflict	Reject	Rev Code 054X Requires Specific HCPCS
20520	Validation	Reject	Invalid Ambulance Pick-up Location
20530	Validation	Reject	Zip Cannot Be 0 or Blank
20835	Pricing	Reject	DOS Invalid and/or Not Within Header DOS
20980	Pricing	Informational	Provider Cannot Bill TOB 12X or 22X
21925	Pricing	Reject	Swing Bed SNF Conditions Not Met
21950	Pricing	Reject	Line Level DOS Required
21951	Pricing	Informational	No OSC 70 or Covered Days Less Than 3
21976	Validation	Informational	OSC 70 Dates Outside of Coverage Period
21979	Validation	Reject	Rev Code 0022 Requires HCPCS
21980	Validation	Reject	CC D2 Requires Change in One HIPPS
21986	Validation	Informational	Rev Codes 42X, 43X, or 44X Required
21988	Validation	Informational	Two or More Rev Codes Required
21994	Validation	Informational	From Date Greater Than Admit Date
22015	Validation	Informational	Number of Days Conflicts With HH Episode
22020	Validation	Informational	Conflict Between CC and OSC
22095	Validation	Reject	Encounter Must Be Submitted on 837-P DME
22100	Validation	Informational	Rev Code 0023 Invalid for DOS
22135	Validation	Reject	Multiple Rev Code 0023 Lines Present
22205	Validation	Reject	Service Line Missing DOS
22220	Validation	Reject	DOS Prior to Provider Effective Date

**TABLE 13 - ENCOUNTER DATA INSTITUTIONAL PROCESSING AND PRICING SYSTEM (EDIPPS) EDITS
(CONTINUED)**

EDIPPS EDIT#	EDIPPS EDIT CATEGORY	EDIPPS EDIT DESCRIPTION	EDIPPS EDIT ERROR MESSAGE
22225	Validation	Reject	Missing Provider Specific Record
22280	Validation	Reject	Rev Code 277 Invalid for a HH
22290	Validation	Reject	Service Line Requires DOS
22385	Validation	Reject	DME HCPCS and Statement of Date Conflict
25000	NCCI	Informational	CCI Error
32001	Validation	Reject	TOB Not Implemented for Processing
98325	Duplicate	Reject	Service Line(s) Duplicated

10.1 EDIPPS Edits Enhancements Implementation Dates

As the EDS matures, the EDPS may require enhancements to the EDIPPS editing logic. As enhancements occur, CMS will provide the updated information (i.e., disposition changes and activation or deactivation of an edit). Table 14 below provides MAOs and other entities with the implementation dates for enhancements made to the EDIPPS since the last release of the CMS EDS 837-I Companion Guide.

TABLE 14 – EDIPPS EDITS ENHANCEMENTS IMPLEMENTATION DATES

ERROR CODE	ERROR DISPOSITION	ERROR DESCRIPTION	ENHANCEMENT	ENHANCEMENT DATE
02260	Reject	TOB Conflict with the Coverage Services	New edit instituted for Medicare Part B	12/31/2012
03101	Reject	Invalid Gender for CPT/HCPCS	Edit disposition changed from "Reject" to "Informational".	01/28/2013
22270	Informational	NPI Invalid or Not on the File	Edit disposition changed from "informational" to "informational/suppressed". Will not reflect on MAO-002	12/14/2012

10.2 EDPS Edits Prevention and Resolution Strategies

In order to assist MAOs and other entities with the prevention of potential errors in their encounter data submission and with resolution of edits received on the generated MAO-002 reports, CMS has provided comprehensive strategies and scenarios. CMS will communicate the prevention and resolution strategies using a phased approach.

10.2.1 EDPS Edits Prevention and Resolution Strategies – Phase I: Frequently Generated EDIPPS Edits

Table 15 outlines Phase 1 of the prevention and resolution strategies for Institutional edits most frequently generated on the MAO-002 reports.

TABLE 15 – EDPS EDITS PREVENTION AND RESOLUTION STRATEGIES – PHASE I

FREQUENTLY GENERATED EDIPPS EDITS			
Error Code	Error Code Description	Error Code Disposition	Comprehensive Resolution/Prevention
17310	Rev Code 036X Requires Surgical CPT/HCPCS	Reject	Revenue Code 036X was submitted without required Surgical CPT/HCPCS code. Provide appropriate CPT/HCPCS code associated with this Revenue Code.
Scenario: Life and Health Associates submitted an encounter for Dr. Joshua Canterbury, who performed a prostate cryosurgery on 5/15/2012. The encounter reported the Revenue Code of 036X, but did not include CPT code 55873.			
17407	Modifier Requires HCPCS Code	Reject	Service line submitted with HCPCS modifier, but not the required HCPCS code. Verify that codes/ modifiers are accurate.
Scenario: Dr. Whitty submitted the HCPCS modifier code 25- Significant, Separately Identifiable Evaluation and Management Service by the Same Physician on the Day of a Procedure, without the appropriate level of E&M service.			
17735	Modifier Not Within Effective Date	Reject	Modifier not active for DOS reported. Submitter must verify that modifiers reported are valid and current.
Scenario: As a follow up to a postoperative surgery on 8/1/2012, Dr. Whitty submitted HCPCS modifier code 21- Prolonged evaluation and management services on 9/28/2012; however, the modifier was deactivated on 9/1/2012.			
20035	Requires DOS for Rev Code 057X	Reject	Revenue Code 57X requires that DOS be reported on separate service lines for each DOS. Ensure each service line for Revenue Code 57X includes the appropriate DOS.
Scenario: Super Nurse Health submitted a claim to Grand Plan for five (5) nursing visits during the month of August. Grand Plan submitted an encounter to the EDS with five (5) separate service lines all populated with “from” DOS of 8/2/2012 and “through” DOS of 8/30/2012. Grand Plan received an MAO-002 report with error message 20035 because each service line requires a single “from” and “through” DOS.			
20270	From & Thru Dates Equal - Day Count > 1	Reject	Inpatient encounter contains same “from” and “through” DOS; however, the day count reported in Loop 2320 MIA15 does not equal 1. Verify that DOS are accurate or that day count is equal to 1.
Scenario: Nightline Hospital admitted a patient at 8 p.m. on 10/23/2012 and the patient was discharged at 2 p.m. on 10/24/2012. Dawn to Dusk Healthcare submitted the encounter with a day count of “2” for admission, although the overnight stay is considered one (1) day.			
20505	Correct Ambulance HCPCS/Rev Code Required	Reject	Revenue Code 540 populated without appropriate ambulance HCPCS codes and/or a unit greater than 1 for the HCPCS code. Also provide HCPCS mileage codes.
Scenario: Blue Flight Health Plan submitted an encounter for ground ambulance services with Revenue Code 540; however, the HCPCS code was not populated.			

TABLE 15 – EDPS EDITS PREVENTION AND RESOLUTION STRATEGIES – PHASE I (CONTINUED)

FREQUENTLY GENERATED EDIPPS EDITS			
20510	Rev Code 054X Requires Specific HCPCS	Reject	HCPCS code is not valid for submission in association with Revenue Code 540. Use an appropriate HCPCS code from the list of HCPCS codes acceptable for submission with Revenue Code 540.
Scenario: Blue Flight Health Plan submitted a ground transportation ambulance Revenue Code 540 with a HCPCS code A0021-Out of State Per Mile, which was valid for the service, but is invalid for Medicare.			
20530	Zip Cannot Be 0 or Blank	Reject	Submitter must provide a valid nine (9)-digit ZIP code for ambulance pick-up location.
Scenario: Mystery Health Plan submits an encounter on behalf of Rush Ambulance with an ambulance service line that has the street address, city, state, and the ZIP code is indicated as “0”.			
20835	DOS Invalid and/or Not Within Header DOS	Reject	Line level DOS reported that does not fall within “from” and “through” DOS range reported on header level of encounter. Verify the accuracy of all DOS.
Scenario: Who Knows Hospital admitted Janet Doe on 6/1/2012 and discharged her on 6/10. Padre Care Plan submitted an inpatient encounter on behalf of Who Knows Hospital for Ms. Doe. The service line DOS were correct; however, the claim header indicated that Ms. Doe was admitted on 6/6/2012 and discharged on 6/12/2012.			
32001	TOB Not Implemented for Processing	Reject	Encounter contains a TOS or TOB not processable by the EDS. Do not submit these TOSs or TOBs until CMS provides further guidance regarding submission.
Scenario: BBD Health Plan submitted TOB 21X for a SNF encounters on 11/09/2012, prior to the implementation of SNF/HH submission.			

10.2.2 EDPS Edits Prevention and Resolution Strategies – Phase II: Common EDPS Edits

Table 16 outlines Phase II for common edits generated in all subsystems of the EDPS (Professional, Institutional, and DME).

TABLE 16 – EDPS EDITS PREVENTION AND RESOLUTION STRATEGIES – PHASE II

COMMON EDPS EDITS			
Error Code	Error Code Description	Error Code Disposition	Comprehensive Resolution/Prevention
00010	From DOS Greater Than TCN Date	Reject	Encounter must have a DOS prior to submission date.
Scenario: Perfect Health of America submitted an encounter to the EDS on May 10, 2012 for a knee replacement performed at Wonderful Hills Medplex for DOS May 12, 2012. The encounter was rejected because the “from” DOS was after the date of encounter submission.			
00011	Missing DOS in Header/Line	Reject	Encounter header and line levels must include “from” and “through” DOS (procedure or service start date).
Scenario: Chloe Pooh was admitted to Regional Port Hospital on October 21, 2012 for a turbinectomy and was released on October 22, 2012. Regional Port Hospital submitted a claim to Robbins Health for the surgical procedure. Robbins Health submitted the encounter to the EDS, but did not include the “through” DOS of October 22, 2012.			

TABLE 16 – EDPS EDITS PREVENTION AND RESOLUTION STRATEGIES – PHASE II (CONTINUED)

COMMON EDPS EDITS			
Error Code	Error Code Description	Error Code Disposition	Comprehensive Resolution/Prevention
00012	DOS Prior to 2012	Reject	Encounter must contain 2012 “through” DOS for each service line.
Scenario: Ion Health submitted an encounter with DOS from December 2, 2011 through December 28, 2011, for an inpatient admission at Better Health Hospital. EDS will only process encounters that include 2012 “through” DOS or later.			
00025	Through DOS After Receipt Date	Reject	Encounter submitted with a service line “through” DOS that occurred after the date the encounter was submitted.
Scenario: Leverage Community Health submitted an encounter on August 23, 2012 for a myringotomy performed by Dr. Earwell. The service line DOS for the procedure was August 29, 2012. The encounter was rejected because the encounter was submitted to the EDS before the DOS listed on the encounter.			
00265	Correct/Replace or Void ICN Not in EODS	Reject	Adjustment/Void encounter submitted with an invalid ICN. Verify accuracy of ICN on the returned MAO-002 report.
Scenario: Chance Medical Services submitted an encounter to the EDS and received an MAO-002 report with an accepted ICN of 123456789. The encounter required adjustment. Chance Medical Services submitted an adjustment encounter using ICN 234567899. The adjustment encounter was rejected because there was no original record in the EDS for this ICN with the same Submitter ID.			
00699	Void Must Match Original	Reject	Voided encounter must have the same number of lines as the original encounter.
Scenario: Lamb Professional Care submitted an encounter for an inpatient hospital stay with five (5) service lines. Lamb Professional Care submitted a void encounter for the hospital stay. However, the void encounter contained only 4 lines from the original encounter. Lamb Professional Care received an MAO-002 report with error code 00699 because one of the lines from the original encounter was not included on the void encounter.			
00761	Billing Provider Different from Original	Reject	Billing provider’s NPI must be identical in both the original and void encounters.
Scenario: Mastermind General Hospital submitted an encounter for a procedure performed by Dr. Jackson Martinez on October 17, 2012. Spartacus Regional Health submitted the encounter to the EDS and received an MAO-002 report with an accepted ICN of 342431098. On October 27, 2012, Spartacus Regional Health submitted a void encounter for ICN 342431098 using an NPI for Dr. Mary Jane. The encounter was rejected because the billing provider NPI on the void encounter did not match the billing provider on the original encounter.			
01405	Sanctioned Provider	Reject	CMS has suspended/terminated provider from performing services for DOS submitted. Verify the accuracy of provider’s NPI and DOS submitted.
Scenario: Dr. Domuch performed a cystectomy for Wally Dowright on October 2, 2012. Dr. Domuch submitted a claim to Dermis Health Plan, who adjudicated the claim and submitted an encounter to the EDS. The EDS returned the encounter to Dermis Health Plan with error code 01405 because Dr. Domuch’s privileges were suspended, effective August 29, 2012, for one (1) year; therefore, Dr. Domuch was not authorized to perform this procedure.			
01415	Rendering Provider Not Eligible For DOS	Informational	Verify that NPI is accurate and that the provider was eligible for DOS submitted.
Scenario: ABC Care Plan submitted an encounter for a procedure performed by Dr. Destiny on February 14, 2012. The EDPS provider reference files indicate that Dr. Destiny’s NPI was not effective until February 16, 2012.			

TABLE 16 – EDPS EDITS PREVENTION AND RESOLUTION STRATEGIES – PHASE II (CONTINUED)

COMMON EDPS EDITS			
Error Code	Error Code Description	Error Code Disposition	Comprehensive Resolution/Prevention
02106	Invalid Beneficiary Last Name	Informational	Verify that last name populated on the encounter matches the last name listed in MARx database.
Scenario: Blue Skies Rural Health submitted an encounter for patient Ina Batiste-Rhogin. The MARx database listed the patient as Ina Rhogin. The EDPS processed and accepted the encounter with an informational flag indicating that the name provided on the encounter was not identical to the name listed in the eligibility database.			
02110	Beneficiary HICN Not On File	Reject	Verify that HICN populated on the encounter is valid in MARx database.
Scenario: Bright Medical Center submitted a claim to Sunshine Complete Health for an office visit for Mr. Everett Banks for DOS May 26, 2012. Sunshine Complete Health submitted an encounter to the EDS. The EDS rejected the encounter with error code 02110, because the HICN populated on the encounter was not on file in the MARx database.			
02112	DOS After Beneficiary DOD	Reject	Verify that DOS submitted is accurate and does not exceed the beneficiary DOD.
Scenario: Mountain Hill Health submitted an encounter for an inpatient admission for Ray Rayson for DOS July 15, 2012. The EDPS was unable to process the encounter because the MARx database indicated that Mr. Rayson expired on July 13, 2012.			
02120	Beneficiary Gender Mismatch	Informational	Verify that gender populated on the encounter is accurate and matches gender listed in MARx database.
Scenario: Jenna Jorgineski went to Lollipop Lab for a sleep study on September 4, 2012. Lollipop Lab submitted a claim for the sleep study to Capital City Community Care with Ms. Jorgineski's gender identified as "male". Capital City Community Care submitted the encounter. The EDS processed and accepted the encounter. The MAO-002 report was returned with an informational error code 02120, because Ms. Jorgineski's gender was listed as "female" in the MARx database.			
02125	Beneficiary DOB Mismatch	Reject	Verify that DOB populated on the encounter is accurate and matches DOB listed in MARx database.
Scenario: Swan Health submitted an encounter to the EDS for Joe Blough on March 3, 2012. The encounter listed Mr. Blough's DOB as December 13, 1940. The eligibility database (MARx) listed Mr. Blough's DOB as December 13, 1937. The EDS returned the MAO-002 report to Swan Health with error code 02125 due to the conflicting dates of birth.			
02240	Beneficiary Not Enrolled In MAO For DOS	Reject	Verify that beneficiary was enrolled in your MAO during DOS on the encounter.
Scenario: Gabrielle Boyd was admitted to Faith Hospital for an appendectomy on June 11, 2012 and was discharged on June 14, 2012. Faith Hospital submitted the claim for the hospital admission to Adams Healthcare. Adams Healthcare adjudicated the claim and submitted an encounter to the EDS on July 12, 2012. Ms. Boyd's effective date with Adams Healthcare was July 1, 2011. The EDS returned an MAO-002 report to Adams Health with error code 02240 because Ms. Boyd was not enrolled with the health plan for the DOS submitted by Faith Hospital.			

TABLE 16 – EDPS EDITS PREVENTION AND RESOLUTION STRATEGIES – PHASE II (CONTINUED)

COMMON EDPS EDITS			
Error Code	Error Code Description	Error Code Disposition	Comprehensive Resolution/Prevention
02255	Beneficiary Not Part A Eligible For DOS	Reject	Verify that beneficiary was enrolled in Part A for DOS listed on the encounter.
<p>Scenario: Mr. Carl Evergreen was transferred from a VA hospital and admitted to Rainforest Regional on April 28, 2012. Mr. Evergreen was effective for Medicare Part A on May 1, 2012. Strides in Care Health Plan submitted the encounter for the admission to Rainforest Regional and received an MAO-002 report with edit 02255 because Mr. Evergreen was enrolled in Medicare Part A after the date of hospital admission.</p>			
02256	Beneficiary Not Part C Eligible For DOS	Reject	Verify that beneficiary was enrolled in Part C for DOS listed on the encounter.
<p>Scenario: On July 4, 2012, Gail Williams has severe chest pains and goes to the emergency room for a chest x-ray at Underwood Memorial Hospital. At the time of the emergency room visit, Ms. Williams only has Part A Medicare coverage. Underwood Memorial submits the claim to AmeriHealth and the claim is adjudicated under Part A Medicare. AmeriHealth submits an encounter to the EDS, which is rejected with error code 02256, because Ms. Williams is not covered under Part C Medicare for the DOS.</p>			
03015	DOS Spans CPT/HCPCS Effective/End Date	Reject	The procedure code is not valid/effective for the DOS populated on the encounter
<p>Scenario: Oren Davis went to Independent Lab for a urinalysis on February 24, 2012. Independent Lab submitted the claim to World Healthcare with procedure code 81000. As of August 1, 2011, procedure code 8100 was not a valid procedure code. World Health adjudicates the claim and submits the encounter to the EDS. World Health receives an MAO-002 report with a “reject” status for error code 03015 because the procedure code was not valid on the DOS.</p>			
03101	Invalid Gender for CPT/HCPCS	Informational	Verify that the gender populated on the encounter is accurate. Ensure that the beneficiary’s gender is appropriate for the CPT/HCPCS code provided
<p>Scenario: True Blue General Hospital submitted a claim to Valley View Health for Ms. Clara Bell with CPT code 54530. Valley View adjudicated the claim and submitted an encounter to the EDS. Valley View received error code 03101 because the procedure identified for Ms. Bell was an orchiectomy, which is routinely performed for a male.</p>			
25000	CCI Error	Informational	Ensure that CCI code pairs are appropriately used. Ensure that CCI single codes meet the MUE allowable units of service (UOS).
<p>Scenario: Hippos Health Plan submitted an encounter to the EDS with a DOS of May 5, 2012 and HCPCS code 15780 and two (2) units of service. The returned MAO-002 report indicated an informational error code of 25000 because HCPCS code 15780 – dermabrasion, is only valid for one (1) unit of service per day.</p>			
98325	Service Line(s) Duplicated	Reject	Verify encounter was not previously submitted. If not a duplicate encounter, ensure that elements validated by duplicate logic are not the same (refer to the 2012 ED Participant Guide for duplicate logic validation elements)
<p>Scenario: Sanford Health Systems submitted an encounter for two (2) service lines for 15-minute therapy services. The encounter lines submitted were the same for the timed procedure code, totaling 35 minutes and should have been submitted with 2 units of service under the total time rather than as separate duplicate lines.</p>			

10.2.3 EDIPPS Edits Prevention and Resolution Strategies – Phase III: General EDIPPS Edits

Table 17 outlines Phase III for a portion of the remaining edits generated on the MAO-002 Encounter Data Processing Status Reports. Section 10.2.3 will be updated in future releases of the Institutional Companion Guide until all remaining edits are identified.

TABLE 17 – EDPS EDITS PREVENTION AND RESOLUTION STRATEGIES – PHASE III

GENERAL EDPS EDITS			
Error Code	Error Code Description	Error Code Disposition	Comprehensive Resolution/Prevention
18010	Age and Dx Code Conflict	Informational	Verify that diagnosis populated on the encounter is age appropriate for beneficiary
<p>Scenario: Clear Path Health submitted an encounter to the EDS for services provide to Mr. Jackson Leigh, who is 85-yrs old. The diagnosis provided on the encounter was V20.2-routine child health check. The MAO-002 report returned contained an informational error code of 18010 because the diagnosis provided was not appropriate for an 85-yr old.</p>			
18018	Gender and CPT/HCPCS Conflict	Informational	Gender provided for beneficiary does not agree with procedure/service identified on the encounter. Verify gender populated on encounter matches date in MARx. Ensure that the procedure code is accurate and appropriate.
<p>Scenario: Claims Health submitted an encounter for Jane Johnson with procedure code 58150-Total Hysterectomy. However, the gender populated on the encounter identified Ms. Johnson as a male. The MAO-002 report was returned with an informational error of 18018. CMS recommends that Claims Health verify the gender on Ms. Johnson’s HICN information to ensure that it is corrected.</p>			
18135	Principal Dx is Manifestation Code	Reject	Encounter submitted using a code for underlying disease or symptom instead of a principal diagnosis. Ensure that primary diagnosis is valid.
<p>Scenario: Arbor Meadows Health submitted an encounter for an inpatient admission for Ms. Anabel Greaves. The diagnosis submitted on the encounter was 3214-Meningitis due to sarcoidosis. The EDS rejected the encounter because 3214 is not a primary diagnosis, but is a manifestation code for a condition related to the diagnosis.</p>			
18260	Invalid Rev Code	Reject	Encounter submitted with a Revenue Code not related to services provided or a Revenue Code not used.
<p>Scenario: Home Sweet Home submitted a claim to Foundation Health for Home Health services provided to Ms. Jean. Foundation Health submitted the encounter to the EDS using Revenue Code 0022. The encounter was rejected for edit 18260 because Foundation Health used a SNF revenue code for a Home Health encounter.</p>			
21980	CC D2 Requires Change in One HIPPS	Reject	Adjustment encounter submitted with condition code D2; however, the associated HIPPS code was not revised to indicate the adjustment.
<p>Scenario: Marxton Health sent an adjustment encounter to the EDS on behalf of Here For You Health, which contained condition code of ‘D2’ and an appropriate reason code to revise the HIPPS code originally submitted, but the HIPPS code itself was not revised.</p>			

TABLE 17 – EDPS EDITS PREVENTION AND RESOLUTION STRATEGIES – PHASE III (CONTINUED)

GENERAL EDPS EDITS

Error Code	Error Code Description	Error Code Disposition	Comprehensive Resolution/Prevention
00755	Void Encounter Already Voided	Reject	Submitter has previously voided an encounter and is attempting to void the same encounter. After submitting a void/delete (CLM05-3='8'), the submitter must wait for the MAO-002 report to confirm that the void/delete encounter was received and processed.
<p>Scenario: Happy Trails Health Plan submitted a void/delete encounter on October 10, 2012. Happy Trails Health Plan voided the same encounter, in error, on October 15, 2012, prior to receiving the MAO-002 report for the initial void/delete encounter, which was returned on October 16, 2012. The MAO-002 report for the subsequent voided encounter was returned with error code 00755 due to the submission of the second void/delete encounter.</p>			
00760	Correct/Replace Previously Submitted	Reject	Submitter has previously adjusted an encounter and is attempting to adjust the same encounter. After submitting a correct/replace (CLM05-3='7'), the submitter must wait for the MAO-002 report to confirm that the correct/replace encounter was received and processed.
<p>Scenario: On August 20, 2012, Pragmatic Health submitted a correct/replace encounter to correct a CPT code. Pragmatic Health had not received their MAO-002 report by August 23, 2012 and decided to resubmit the correct/replace encounter. The MAO-002 report was returned on August 24, 2012 with the correct/replace encounter identified as accepted. Pragmatic Health received error code 00760 on the secondary MAO-002 report because the EDPS had already processed the resubmitted correct/replace encounter.</p>			
00762	Unable to Void Rejected Encounter	Reject	Submitter is attempting to void a previously rejected encounter. Submitter should review returned MAO-002 reports to confirm the rejected encounter.
<p>Scenario: On July 20, 2012, Hero Health Plan submitted an encounter with an invalid HICN. On July 26, 2012, Hero Health Plan attempted to void the encounter due to the invalid HICN without referencing the MAO-002 report, dated July 25, 2012, that indicated that the encounter was rejected. On August 1, 2012, Hero Health Plan received an MAO-002 report with error code 00762 for the voided encounter because the original encounter had already been processed and rejected.</p>			

11.0 Submission of Proxy Data in a Limited Set of Circumstances

MAOs and other entities may submit proxy data in a limited set of circumstances, as identified and explained in the table below. MAOs and other entities cannot submit proxy data for any circumstances other than those listed in the table below. CMS will use this interim approach for the submission of encounter data. In each circumstance where proxy information is submitted, MAOs and other entities are required to indicate in Loop 2300, NTE01='ADD', NTE02 = the reason for the use of proxy information. If there are any questions regarding appropriate submission of proxy encounter data, MAOs and other entities should contact CMS for clarification. CMS will provide additional guidance concerning proxy data in the near future.

Note: Due to the implementation of EDPS edits to accept 2011 “From” DOS, CMS has eliminated the requirement for proxy data for 2011 DOS encounter submissions.

TABLE 18 – PROXY DATA

PROXY DATA	PROXY DATA MESSAGE (NTE02)
Rejected Line Extraction	REJECTED LINES CLAIM CHANGE DUE TO REJECTED LINE EXTRACTION
Medicaid Service Line Extraction	MEDICAID CLAIM CHANGE DUE TO MEDICAID SERVICE LINE EXTRACTION
EDS Acceptable Anesthesia Modifier	MODIFIER CLAIM CHANGE DUE TO EDS ACCEPTABLE ANESTHESIA MODIFIER
Default NPI for atypical, paper, and 4010 claims	NO NPI ON PROVIDER CLAIM
Default EIN for atypical providers	NO EIN ON PROVIDER CLAIM
Chart Review Default Procedure Codes	DEFAULT PROCEDURE CODES INCLUDED IN CHART REVIEW

12.0 EDS Acronyms

Table 19 below outlines a list of acronyms that are currently used in EDS documentation, materials, and reports distributed to MAOs and other entities. This list is not all-inclusive and should be considered a living document, as acronyms will be added as required.

TABLE 19 – EDS ACRONYMS

ACRONYM	DEFINITION
A	
ASC	Ambulatory Surgery Center
C	
CAH	Critical Access Hospital
CARC	Claim Adjustment Reason Code
CAS	Claim Adjustment Segments
CC	Condition Code
CCI	Correct Coding Initiative
CCN	Claim Control Number
CEM	Common Edits and Enhancement Module
CMG	Case Mix Group
CMS	Centers for Medicare & Medicaid Services
CORF	Comprehensive Outpatient Rehabilitation Facility
CPO	Care Plan Oversight
CPT	Current Procedural Terminology
CRNA	Certified Registered Nurse Anesthetist
CSC	Claim Status Code
CSCC	Claim Status Category Code
CSSC	Customer Service and Support Center
D	
DME	Durable Medical Equipment
DMEPOS	Durable Medical Equipment, Prosthetics, Orthotics, and Supplies
DMERC	Durable Medical Equipment Carrier
DOB	Date of Birth
DOD	Date of Death
DOS	Date(s) of Service
E	
E & M or E/M	Evaluation and Management
EDDPSS	Encounter Data DME Processing and Pricing Sub-System
EDFES	Encounter Data Front-End System
EDI	Electronic Data Interchange
EDIPPS	Encounter Data Institutional Processing and Pricing Sub-System
EDPPPS	Encounter Data Professional Processing and Pricing Sub-System

TABLE 19 – EDS ACRONYMS

ACRONYM	DEFINITION
EDPS	Encounter Data Processing System
EDS	Encounter Data System
EIC	Entity Identifier Code
EODS	Encounter Operational Data Store
ESRD	End Stage Renal Disease
F	
FFS	Fee-for-Service
FQHC	Federally Qualified Health Center
FTP	File Transfer Protocol
FY	Fiscal Year
H	
HCPCS	Healthcare Common Procedure Coding System
HHA	Home Health Agency
HICN	Health Information Claim Number
HIPAA	Health Insurance Portability and Accountability Act
HIPPS	Health Insurance Prospective Payment System
I	
ICD-9CM/ICD-10CM	International Classification of Diseases, Clinical Modification (versions 9 and 10)
ICN	Interchange Control Number
IRF	Inpatient Rehabilitation Facility
M	
MAC	Medicare Administrative Contractor
MAO	Medicare Advantage Organization
MTP	Multiple Technical Procedure
MUE	Medically Unlikely Edits
N	
NCD	National Coverage Determination
NDC	National Drug Codes
NPI	National Provider Identifier
NCCI	National Correct Coding Initiative
NOC	Not Otherwise Classified
NPPES	National Plan and Provider Enumeration System
O	
OCE	Outpatient Code Editor
OIG	Officer of Inspector General
OPPS	Outpatient Prospective Payment System

TABLE 19 – EDS ACRONYMS (CONTINUED)

ACRONYM	DEFINITION
P	
PACE	Program for All-Inclusive Care for the Elderly
PHI	Protected Health Information
PIP	Periodic Interim Payment
POA	Present on Admission
POS	Place of Service
PPS	Prospective Payment System
R	
RAP	Request for Anticipated Payment
RHC	Rural Health Clinic
RPCH	Regional Primary Care Hospital
S	
SME	Subject Matter Expert
SNF	Skilled Nursing Facility
SSA	Social Security Administration
T	
TARSC	Technical Assistance Registration Service Center
TCN	Transaction Control Number
TOB	Type of Bill
TOS	Type of Service
TPS	Third Party Submitter
V	
VC	Value Code
Z	
ZIP Code	Zone Improvement Plan Code

REVISION HISTORY

VERSION	DATE	DESCRIPTION OF REVISION
2.1	9/9/2011	Baseline Version
3.0	11/16/2011	Release 1
4.0	12/9/2011	Release 2
5.0	12/20/2011	Release 3
6.0	3/8/2012	Release 4
7.0	5/9/2012	Release 5
8.0	6/22/2012	Release 6
9.0	8/31/2012	Release 7
10.0	9/26/2012	Release 8
11.0	11/2/2012	Release 9
12.0	11/26/2012	Release 10
13.0	12/21/2012	Release 11
14.0	01/21/2013	Section 1.3 – Major Updates
14.0	01/25/2013	Section 6.7 – Table 10 EDFES Notifications – Removed invalid 2011 DOS notification
14.0	01/25/2013	Section 7.0 Front-End Edits - added information regarding CEM Edits Spreadsheets
14.0	01/25/2013	Section 10.0 Table 13 - Updated to reflect disposition changes and deactivated edits
14.0	01/25/2013	Section 10.1 Table 14 – Updated EDPS Edits Enhancements Implementation Dates
14.0	01/25/2013	Table 10.2.1 Table 15 – Updated EDPS Edits Prevention and Resolution Strategies – Phase I to remove deactivated edits
14.0	01/25/2013	Section 10.2.3 Table 17 – Added EDPS Edits Prevention and Resolution Strategies – Phase III
14.0	01/25/2013	Section 11.0 Table 18 – Removed Proxy Data requirement for 2011 DOS